

KLIBO

**KUBOTA WORKSHOP PRODUCTS CATALOG** RELIABLITY FOR THE JOB AHEAD



2024



As the #1 builder of under-100 HP multi-cylinder, non-automotive diesel engines in the world, Kubota literally powers the industry. That didn't happen by accident. It happened because we are committed to engineering excellence so that our customers can focus on planting, feeding, building and caring for our world. Kubota has expanded its program once again and we're honored to be your first choice in aftermarket parts. We've added a variety of new products to make life even more productive and enjoyable on the farm, ranch, nursery, job site or wherever you call home.

# CONTENTS

### **RADIOS & OBSERVATION KITS**

Radios	.2
Custom SSV & SVL Kits	.4
Excavator Kits	.5
Radio Accessories	.6

### **RTV ACCESSORIES**

RTV Accessories		.8
-----------------	--	----

### LUBRICATION PRODUCTS

Grease									12
Grease Guns									13
Lubrication									14
Filter Wrenches						•			17

### FUEL & OIL EQUIPMENT

DEF Kits								. 18
Pumps								. 19
Fuel Containers								. 20
Funnels								. 21
Oil Change								. 22

### CHEMICALS

Chemicals								. 23
Spill Containment .								. 30

### CARGO CONTROL

Ratchet Straps								. 32
Tie Downs								. 33
Tarp Straps								. 34
Cargo Control			•					. 35

### CHAINS

Safety Chains & Tire Chains		. 36
Tow Chains		.40
Hooks & Load Binders		. 41

### LIFT EQUIPMENT

Lift Equipment.																	42
-----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

### SHOP PRODUCTS

Lights										. 43
Hose Wraps .										. 46
Shop Products										. 47
Hand Tools		•							•	. 48

### **TOWING & TIRE ACCESSORIES**

Towing Hitches & Kits					. 5	50
Towing Diagnostic Tools .						51
Tire Kit, Inflator & Gauges.						52

### SAFETY PRODUCTS

Safety Products									. 5	3
Gloves			•			•		•	. 5	6

### **BATTERY MAINTENANCE**

Battery Jumpstart .								58
Battery Charging .								61
Battery Treatment .								64

### **TURF & LANDSCAPE ACCESSORIES**

Turf & Landscape Accessories								. 65	•
------------------------------	--	--	--	--	--	--	--	------	---

### TOOL STORAGE

Chests & Cabinets	6
Cargo & Tool Storage 6	7
Tool Bags	8
BIGTOOLRACK <sup>®</sup>	9

### **SPRAYERS**

Sprayers																					71	
----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----	--

### MOISTURE TESTERS

Portable Grain & Hay Moisture Testers . . . 75



# RADIOS

#### AM/FM/WX/BT/PA/USB Heavy **Duty Short Din Style Radio** 77700-13484 NEW



- 180 watts max power (45W x 4); 100 watts RMS  $(25W \times 4)$
- Bluetooth<sup>®</sup> streaming audio (A2DP/AVRCP)
- Water and UV resistant front panel (IPX5)
- Weatherband & AM/FM tuner with 30 presets
- Rear USB port for device charging (1 amp output)
- PA microphone input, low battery alert, work timer
- Toggle switch between day and night display
- 2-wire power with non-volatile memory and clock support

#### AM/FM/RBDS/WB/USB/BT/DAB+ **Heavy Duty Mini Radio** NEW

77700-13486

hands-free

• 50 watts max power (25W x 2); 20 watts RMS (10W x 2)

Bluetooth<sup>®</sup> stream-

ing audio (A2DP/ AVRCP) and



- calling (HFP) Water and UV resistant front panel (IPX6)
- App control ready
- DAB+ (Digital Audio Broadcasting)
- Weatherband & AM/FM tuner with 30 presets
- RBDS (Radio Broadcast Data Service) with PTY search
- Rear USB port for device charging (1 amp output)
- Toggle switch between day and night display
- 2-wire power with non-volatile memory and clock support
- Remote turn on, low battery alert, work timer
- Compatible with 77700-04786 and 77700-08969 microphones (sold separately)

#### AM/FM/WX/BT/USB/DAB+/RBDS/CAN Heavy Duty Short Din Style Radio 77700-13485



- 180 watts max power (45W x 4); 100 watts RMS (25W x 4)
- Bluetooth<sup>®</sup> streaming audio (A2DP/AVRCP)
- Hands-free calling (HFP)
- Water and UV resistant front panel (IPX5)
- App control ready
- DAB+ (Digital Audio Broadcasting)
- Weatherband & AM/FM tuner with 30 presets
- RBDS (Radio Broadcast Data Service) with PTY search
- Rear USB port for device charging (1 amp output)
- Toggle switch between day and night display
- 2-wire power with non-volatile memory and clock support
- Remote turn on, low battery alert, work timer
- J1939 CAN Bus capability
- Requires customer-specific interface
- Includes Bluetooth microphone (77700-04786)



# RADIOS



# AM/FM/WB/USB/BT Heavy Duty Mini Radio

#### 77700-13554

- 50 watts max power (25W x 2); 20 watts RMS (10W x 2)
- Bluetooth<sup>®</sup> streaming audio (A2DP/AVRCP)
- Water and UV resistant front panel (IPX6)
- Weatherband & AM/FM tuner with 30 presets
- RBDS (Radio Broadcast Data Service) with PTY search
- Rear USB port for device charging (1 amp output)
- Toggle switch between day and night display
- 2-wire power with non-volatile memory and clock support
- Remote turn on, low battery alert, work timer
- Compatible with 77700-04786 and 77700-08969 microphones (sold separately)



#### AM/FM/WB/USB Mini **Bluetooth® Stereo** 77700-09065

- Max. power output: 160W (40W x 4)
- Receives Bluetooth streaming audio (A2DP) and controls BT enabled devices (AVRCP)
- Waterproof (IPX6)
- Seven-channel NOAA weatherband tuner
- 30 programmable station presets
- iPod<sup>\*</sup>/iPhone<sup>\*</sup> ready via USB (rear pig tail)
- Auxiliary audio input (rear RCA pair)
- Multiple mounting options: front flush mount, rear flush mount and surface mount with the AMPS pattern
- White LED backlit dot matrix LCD display and buttons
- Wired remote control ready
- Corrosion and UV-resistant





# CUSTOM SSV & SVL KITS

# **SSV Observation Camera Kit**

77700-08974 • Kit includes:

- Monitor (77700-08976)
- Fixed angle waterproof camera (77700-09106)
- Camera mounting bracket
- Power harness for Kubota SSV
- Y adapter for Kubota SSV

### • Ball mount 2 x 1.7

 4" double mount Various hardware and cable



# SVL Radio Kit

#### CAB 77700-04787 ROPS 77700-06119

- Kit includes:
  - MINI Radio (77700-04752)
  - Waterproof Speakers (77700-04759)
  - 14" Rubber Mast Antenna (77700-04761)
  - Mounting brackets
  - Adapter harness

# SVL Radio Kit with Bluetooth®

CAB 77700-04797 ROPS 77700-06120

- Kit includes:
  - Bluetooth MINI Radio
  - Waterproof Speakers (77700-04759)
  - 14" Rubber Mast Antenna (77700-04761)
- Mounting brackets
- Adapter harness

#### **Radio Kits for Excavators** 77700-13484A & 77700-13484B 77700-13485A & 77700-13485B

- Radio kits include DIN radio indicated by model number
- "A" kit includes:
  - Bullet connector KUB2 (77700-04789)
  - Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)
- "B" kit includes:
  - ISO male to ISO female double 8-pin connector, KUB3 (77700-05318)
  - Applications include: U27-4 (cab model)

77700-13484A & 77700-13484B



77700-13485A & 77700-13485B



# **EXCAVATOR KITS**

#### Wireless Camera System 77700-13386



- Monitor:
- Bright 7" display
- Supports up to four wireless cameras simultaneously
- Auto-Pairing capability allows monitor to be paired with any of the wireless cameras with the touch of a button
- Strong signal transmits through and around objects up to 60' away
- Supports normal and mirrored camera image
- Supports Single. Split, and Quadview camera views
- Built-in speaker
- Suction cup mount and 12V DC plug included

# **Voyager Rear Observation Kit for Cab SVL Machines**

#### 77700-06141 SVL95-2 Machines 77700-07933

- Kit includes:
- 4.3" Heavy-Duty Monitor (7770006201)
- Waterproof CMOS Color Camera (77700-06202)
- Camera bracket
- Monitor bracket
- Power harness
- Y connector
- Hardware
- Optional 15' Extension Cable available, sold separately (77700-06271)

# All Makes Observation Kit with 4.3" Monitor

#### 77700-08975

- Built for severe duty environments
- CMOS Color 125° with Built-in Microphone (77700-09107)
- Excellent night vision
- Three camera capability
- Bright 4.3" LCD display with anti-glare/scratch protective lens (77700-08976)
- Image orientation: mirror (reversed)
- 15 ft. cable and 4 inch monitor mount included



### Camera:

- 12V DC power
- High-performance color optics
- CMOS Sensor technology
- IR LED low-light assist
- Waterproof
- Integrated microphone
- Wide viewing angle

# **Short-Range** Transmitter

- Turns vour smart device into a
- Transmits two-way split video over Wi-Fi with 100 meter range
  - Voyager wired cameras (sold separately) at a time
- Voyager Vision app supports Pinch/Zoom/Normal/ Mirror, and Optional user adjustable marker OSD lines, and snap shot image
- Designed for low-speed maneuvering and stationary observation/surveillance
- Waterproof (IP67)
- Any tow vehicle can haul any trailer and be connected
- 12V DC power







# Wi-Fi

# 77700-13388

- camera monitor





# **RADIO ACCESSORIES**

#### **3" Universal Mount Two-Way Speakers** 77700-12847

- 60W (30W RMS) max handling power
- Waterproof bridged woofer/tweeter
- Rear AMPS mounting pattern for additional mounting options



#### **Heavy Duty 4-Channel Bluetooth Audio Amplifier** 77700-12848

- 4 Channel audio amplifier configurable for Bluetooth or auxiliary input
- 4 x 40 Watt max power rating
- 4 x 26 Watt RMS

77700-04786

- Flush mount lighted chrome switch
- Waterproof to IPx6



#### 4.3" Observation Monitor 77700-08976

- Three camera capability
- IPX6 rating
- Bright 4.3" LCD display with anti-glare/scratch protective lens

77700-06376

8 0

77700-06375

- Display graphic overlay shows real-time distance from objects
- Built-in speaker
- Manual or automatic source selection



# **Bluetooth® Microphones**

Description

Visor clip

Panel mount

 Works with all Jensen Heavy Duty Bluetooth<sup>®</sup>enabled radios

# 77700-04786 77700-08969

Item No.

# 77700-04759

77700-04760



# **Bullet Connectors**

• For use with 77700-13485 and 77700-13484

and ///00	J-13484 stereos	77700-04788
Item No.	Des	cription
77700-04788	9-pin connecto	or to Din radio KUB1
77700-04789	Bullet connecto	or to Din radio KUB2

77700-05318 ISO male to ISO female double 8-pin connector KUB3

# **Speakers**

	· · · · · · · · · · · · · · · · · · ·		
ltem No.	Description	Power	Sold
77700-04759	3.5" Heavy Duty Waterproof Surface Mount	120W Max.	Pair
77700-04760	4" Heavy Duty Waterproof	120W Max.	Individually
77700-06375	4" Weather Resistant Black metal grilles sold separately (77700-06376)	30W Max.	Individually

# **Radio Harnesses**

 Your Kubota dealer offers a wide variety of harnesses that can be used to install these radios



into many makes and models of equipment

ltem No.	Description
77700-05368	All Makes Case Crawlers
77700-05318	All Makes CNH Current Models
77700-05319	All Makes CNH Old Models
77700-05369	All Makes Universal

# RADIO ACCESSORIES

#### Portable Water-Resistant Bluetooth Speaker & Mounting Clamps 77700-12846

- Dynamic 20W portable speaker to take the music with you
- Powerful 57mm driver for high definition sound clarities
- Built-in equalizer allows mode adjustment for better sound output
- Built-in microphone to receive phone calls
- Durable construction, impact-proof & water-resistant ABS body with rubber coating & IPX6 rating
- Durable nylon composite clamps keep speaker secure
- Designed for fast and easy attachment/removal

77700-

04762

• Clamps fit roll bars 1.625" to 2" diameter

### 14" or 6" Top or Side Mount Rubber Mast Antenna

# Item No.Description77700-0476114" antenna with attached 59" cable77700-047626" antenna with attached 39" cable



Dimensions: 10"W x 4"H x 4"D





Universal Clamp System

#### SiriusXM Satellite Tuner 77700-05478

- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Includes one magnetic antenna
- Subscription required
- Not compatible with 77700-13484, -13485, -13486, -13554 radios (radios are not SiriusXM ready)



# **Dual USB Charger**

77700-

04761

- 77700-13387
- Epoxy-coated PCB for durability and superior protection against water
- Includes waterproof, tight rubber cover for increased water-resistance
- Panel mount dual USB charger with 1 USB-C port and 1 USB-A port
- 4.8 Amps charging current (2.4A x 2)
- Blue LED illuminated face for easy detection

• 12V DC



### **LED Work Light Kits**

2 Pack Front Mount 77700-11933 *Fits RTV-520* Single Rear Mount 77700-11934 *Fits RTV-520* 

2 Pack Front Mount 77700-11811 Fits RTV-X1100C Single Rear Mount 77700-11812 Fits RTV-X1100C

- Six high intensity LEDs
- Ideal for off-road driving only
- Measured lumen: 1,000 lm
- Multi-volt 10-30V DC
- Mounting: upright or flush
- Dimensions: 6-3/8" W x 1-7/8" H x 2-1/2" D





# Hazard Light Kit

77700-VC5057A

- Black flange weatherproof housing for indoor or outdoor use
- 18 different flash patterns to choose from
- Four high-impact three 1-watt LED amber lightheads 12/24V
- Illuminated high quality rocker switch
- Dimensions: 5-3/16" W x 3-3/8" H x 1-7/8" D
- Fits RTV-X900, RTV-X1120, RTV-X1140

### Work Light Kit

Single Rear Mount 77700-VC5051A Fits RTV-X900, RTV-X1120, RTV-X1140

#### 2 Pack Front Mount 77700-VC5050 Fits RTV-X900, RTV-X1120

- Six high intensity LEDs on each light
- Illuminated, high quality rocker switch
- Measured lumen: 1,000 lm
- Multivolt 10-30V DC
- 18W flood beam



77700-VC5051A



77700-VC5050



# Strobe Light Kit

#### 77700-V4318

- 12/24V single strobe light, 0.30 amperes
- Through bolt permanent mount
- Linear strobe bulb with rubber base and polycarbonate lens
- On/off toggle switch and automotive relay included
- Fits RTV500

# Strobe Light Kits

Strobe Light 77700-VC5058 Fits RTV-X1100

#### LED Strobe Light Kit 77700-VC5056 *Fits RTV-X900, RTV-X1120, RTV-X1140*

- Amber beacon features 70 FPM pulse, 8 flash patterns
- Illuminated, high quality rocker switch
- SAE J845 Class III, CE, R10, UL amber beacon
- 12-80VDC, 2.7 Amps
- Reverse polarity



#### Strobe Light Mounting Bracket 77700-V4284

- Sturdy 10GA cold-rolled steel for secure mounting
- Durable UV-resistant powder paint for long lasting durability
- Fits RTV1100



#### Wire Harness Kit 77700-VC5081

- For single electrical accessory or light
- In-line fuse for circuit protection
- Automotive relay included
- Fits RTV-X900, RTV-X1120

# **Rear View Mirror**

#### 77700-10705

- Compatible with most windshields and roll cages from 1.25" to 2"
- Slightly convex shape increases field of view without image distortion
- Integrated, Kubota low profile mount provides a cleaner look
- The tool free adjustment design enables convenient and easy adjustments on the fly
- Built-in anti-vibration technology enhances clarity of mirror



Side View Mirror 77700-10706

Huge field of view

- Universal mounting
- Dual axis breakaway
- Three-way adjustment
- Adjustable blind spot mirror
- Anti-vibration technology
- Fits 1.25" to 2" roll cages
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment



#### Wire Harness Switch Panel 77700-VC5080

- Includes painted switch panel for mounting five additional accessory switches
  - Panel plugs for un-used positions



- Six position Fuse Block for circuit protection
- Vinyl dust cover to protect Fuse Block
- In-line fuse for circuit protection
- Automotive relay included
- RTV-X900, RTV-X1120





# Wiper Kit - Single 172° Sweep

#### 77700-VC5030

- Keep rain, mud, dust from obstructing your view
- Large single wiper for laminated, tempered or hard-coated polycarbonate windshield
- RTV-X900, RTV-X1120, RTV-X1140

# **Fire Extinguisher Mount**

- 77700-10709
- Secures fire extinguishers up to 3.5" in diameter
- Universal design mounts to round tube roll cages up to 2.25"
- Patented low-profile mounting
- Adjustable clamps secure most fire extinguishers
- Fire extinguisher not included





Safety Dust Mask





# Dust Mask

# **Dust Masks**

- Washable and reusable
- Improved design provides maximum comfort
- No replacement filters needed
- Compatible with open and closed face helmets and goggles

Item No.	Description
77700-10710	Universal Safety Dust Mask
77700-10712	Camo Safety Dust Mask
77700-10713	Neoprene Dust Mask
77700-10714	Red Bandana Style Dust Mask
77700-10715	Black Bandana Style Dust Mask

Neoprene Dust Mask

# ShockStrap<sup>®</sup> Load-Absorbing Ratchet Straps

- **Dependable** a ShockStrap provides superior shock absorption without coming loose-keeps tension on the strap
- Safety Strap a backup strap in case the ShockStrap is compromised
- Durable made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- Rust Resistant hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- Soft Loop flexibility to always find a way to secure your load
- 2 Pack Card with informative text and product images

ltem No.	L x W	Break Strength	Work Load
77700-10680	9' x 2"	6,000 lbs.	2,000 lbs.
77700-10681	18' x 2"	6,000 lbs.	2,000 lbs.



# Cargo Bed Seal Kit

#### 77700-11096


- Perfectly sized plate fills the gap
- Ideal for protection against debris falling into the engine bay below the cargo bed
- Fits RTV-X900, RTV-X1100C, RTV-X1120

#### Premium Roof Radio & Speaker Kit 77700-VP0897

- Custom fit for RTV premium roof (77700-VP0801A) roof sold separately
- Rugged Jensen Bluetooth audio system offers AM/FM, USB and AUX inputs
- Includes two Jensen speakers
- Not compatible with the Sport Roof (77700-VP0800)

• Requires Accessories Wiring Harness (77700-V0881)

• AM/FM/WB/USB Mini Bluetooth® Stereo (77700-09065)



#### Deluxe RTV Cargo Box 77700-08760

- Requires two pairs of KAS Clamps1/7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850

# **RTV Tow Strap**

77700-08977

- 1-1/4" X 12' tow strap with loops and shackle
- 5,000 lbs. break strength
- Forged shackle
- Reinforced attachment loops

# **Recovery Rope** 77700-13410

- 100% double braided nylon rope
- 6" eye loops with protective nylon sleeves to minimize abrasion
- Rope stretches up to 30% of its original length and "slingshots" the stuck vehicle
- 45% stronger and lighter than wire rope winch line
- Safer than wire rope or chains if the line breaks
- 7300 lbs. breaking strength
- 1/2" x 20'



NEW



# Cargo Net

77700-08978

- 34" x 34" stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes

# Soft Shackle for Recovery Rope

77700-13411

- Made of Ultra High Molecular Weight Polyethylene (UHMWP)
- Effective way to quickly hook onto a vehicle and carry large loads.
- Dries quickly fibers do not absorb water.
- 33000 lbs. breaking strength
- Length: 22-3/4"
- Diameter: 7/16"



**RTV** Accessories



must be ordered separately

K7811-99560,

NEW

KubotaUSA.com



# GREASE



# High-Performance Synthetic Extreme Duty Grease

Synthetic Food Grade NLGI 2, GC-LB rated, extreme pressure grease with PTFE micro powders. Designed for use in agricultural, construction, automotive, recreational and industrial applications.

- Corrosion protection—impervious to salt water
- Lasts 3-4 times longer than petroleum based products
- Will not run or drip and does not evaporate
- Compatible with most other greases
- Non-toxic, clean, non-staining
- Operating temperature range -45°F to +450°F
- NSF Registered (H-1 Safe for incidental food contact) meets 1998 USDA Guidelines—approved for use in a federally inspected beef or poultry processing facility

Item No.	Description
77700-06321	14 oz.

# High-Performance Polyurea Multi-Purpose Grease

Premium Polyurea thickened, NLGI 2, GC-LB rated extreme pressure grease. Designed for use in agricultural, construction, automotive, recreational and industrial applications.

- Superior rust and corrosion protection
- Excellent resistance to water wash out
- Compatible with most other greases (shear stable)
- Outstanding high temperature stability for long service life
- Operating temperature range -30°F to +350°F

Item No.	Description
70000-10701	14 oz.
77700-03523	3 oz. (Pack of 2)

# High-Performance Moly-Lithium All-Purpose Heavy Duty Grease

Specially formulated lithium complex with 3% molybdenum disulfide/graphite NLGI 2, GC-LB rated extreme pressure grease. Designed for use in agricultural, construction, automotive and industrial applications.

- Will not plate out forming an adhering film on metallic surfaces reducing the coefficient of friction
- Molybdenum disulfide/graphite will act as a dry lubricant when necessary
- Cost effective
- Ideal for metal to metal applications
- Operating temperature range 0°F to +350°F

ltem No.	Description
70000-10401	14 oz.
/0000-10401	14 OZ.

# High-Performance Lithium Complex Standard Duty Grease

Ideally suited for on/off road applications, wheel bearings, axles, ball joints/U-joints, PTO's, commercial lawn mowers, track rollers, general purpose shop/industrial applications.

- High dropping point in excess of 500° F, ensures retention in extreme temperature conditions
- Excellent natural oxidation inhibition
- Specially formulated to provide high film strength, extreme pressure and anti-wear properties
- Operating temperature range -40°F to 325°F

Item No.	Description
77700-10698	14 oz.

# GREASE GUNS

# 20V\* Cordless Grease Gun

#### 77700-12838

- Powerful 20V high torque motor, clears clogged fittings with ease
- Long lasting 18.5V Lithium-Ion battery for maximum performance, features a quick 1 hour recharge time
- Up to 10,000 PSI (690 BAR)
- 2-Speed Gearbox choose between high pressure and high flow
- Grease output up to 3 oz. (85 grams) per minute in free flow
- Automatic air bleeder & bulk loader
- High pressure 40" hose with grease coupler features spring guards on both ends (prevents kinking)
- Convenient, integrated foot design for flat surfaces

Item No.	Replacement Accessories	
77700-06346 30" Replacement Hose		
77700-12965	Rechargeable Battery, 18.5V 2000 mAH Li-ion	
77700-12966	1 Hour UL listed Battery Charger, 110V/60 Hz, 20v	

\* Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.5 volts.





Digital display panel indicates: • Battery level • Grease level • Unit of dispensing • Pump speed



Lubrication Products

On-board LED light for low-light conditions

# Heavy Duty Construction Grade Pistol/Lever Handle Dual Action Grease Gun

18.5V Lithium-Ion

battery and

Quick-Charge

battery charger

#### 77700-12835

- Pistol handle provides 4,500 PSI, lever handle provides up to 7,000 PSI
  - Non-slip comfort grip pistol handle ideal for use in confined areas
  - Lever handle ideal for higher pressure and high volume applications
  - Aluminum die cast head fitted with bulk loader and airbleeder valve
- Rugged 0.049" thick dent-resistant barrel construction
- Shift between high volume and high pressure greasing
- Dual discharge posts front port for pistol mode and top port for lever mode
- For use with 14 oz. grease cartridge
- Includes 6" bent steel extension & 18" flexible hose extension with coupler

2-Way Operating Telescopic Handle

# Heavy Duty Construction Grade Pistol Grip Grease Gun

### 77700-09766

- 7,000 PSI
- Aluminum barrel
- Cold weather design with venturi grease inlet
- Grease gun head fitted with bulk loader that doubles as an air release
- 14 oz. capacity
- Includes 18" flexible hose extension & 4-jaw coupler

# **GREASE GUNS & LUBRICATION**

# Heavy Duty Construction Grade Lever Action Grease Gun

- 77700-09767
- 10,000 PSI
- Lightweight aluminum barrel reduces fatigue, ideal for overhead applications
- Grease gun head fitted with bulk loader and air bleeder
- Extra strong lever handle with built-in variable stroke
- 14 oz. capacity
- Includes 6" bent steel extension & 4-jaw coupler

Kubota

# Pistol Grip Grease Gun

### 77700-02470

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
  - 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 18" flexible hose extension and 4-jaw coupler

# **Lever Action Grease Gun**

#### 77700-02471

- Heavy duty aluminum die cast head with air bleeder
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- Develops 10,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 6" steel extension and 4-jaw coupler

# Mini Lever Action Grease Gun with 2 Grease Cartridges

### 2 Pack Refill (Grease Only)-77700-03523

- Aluminum die cast head
  - Develops 6,000 PSI—highest in its class
    - 2-way loading (3 oz. cartridge or suction)
      - Push lock plunger and plastic T-handle locks in place
        - Includes 6" steel extension, 4-jaw coupler and two 3 oz. cartridges
        - Two 3 oz. refill cartridges feature High-Performance Polyurea Multi-Purpose
        - NLGI #2 grease—excellent resistance to water washout and corrosion

# **Grease Bearing Packer**

#### 77700-12836

77700-03523

- No mess, no hassle greasing solution for packing bearings
- Quickly and easily flush out old grease and repack bearings with fresh grease without the mess!
- Grease stays in the packer housing, not on your hands
- Cap protects grease from contaminants when not in use
- Accommodates up to 3-1/2" diameter bearing









# LUBRICATION

# Lubrication Kit

77700-12958

- Multi-purpose lubrication kit to keep your equipment running smoothly in all weather and temperature conditions
- Kit includes everything you need to complete a greasing project across multiple machines and uses to keep your equipment running efficiently
- Designed for agricultural, construction, automotive, recreational, and industrial applications
- Heavy duty storage bag







77700-06282

#### 80 Piece SAE Grease Fitting Kit 77700-06282

Threads	Straight	45°	90°
1/8" - 27 PTF	25	10	10
1/4" - 28 SAE-LT	15	10	10

# 80 Piece Metric Grease Fitting Kit

77700-06283

Threads	Straight	90°
M6 x 1	20	10
M8 x 1	15	10
M10 x 1	15	10

#### **Quick Lock Extended Reach Coupler** 77700-13528



- For hand, air & battery operated grease guns
- No leaks once locked on
- Hands-free operation
- Rated up to 8,000 PSI
- Works with both SAE and metric fittings

#### **Quick-Lock Coupler** 77700-09000

• Quick-Lock thumb trigger releases back pressure on couplers

- No leaks once locked on
- Hands-free operation
- Rated up to 8,000 PSI
- Compatible with all grease guns
- Works with both SAE and metric fittings
- Releases from clogged grease fittings, under any pressure load

#### Quick Release Coupler Display 77700-10041

- Interactive countertop display for hands-on testing
- Rugged metal construction with informative graphics
- Includes six of the 77700-09000 Quick Lock Couplers for easy point of sale





# LUBRICATION

#### Hydraulic 360° Swiveling Coupler 77700-13488

Working Pressure up to 480 BAR / 7000 PSI. Swivels in full 360° circle & locks conveniently at any 45° position, which gives easy access to most grease fittings.



- Excellent coupler for effective lubrication of difficult and hard-to-reach grease fittings
- Jaws are fully hardened for extended service life
- Hardened coupler body and swivel joints withstand high-pressure applications without deformation
- Zinc plated finish
- Spring loaded ball check valve helps retain pressure

# **4-Jaw Coupler**

### 77700-03383

- Working pressure of 6,000 PSI
- Hardened coupler body
- Hexagonal nut for easy tightening
- 1/8" NPT

# 90° Coupler

#### 77700-09001

- Working pressure 69 BAR / 1,000 PSI
- Designed for greasing fittings with limited reach, especially in low height application



• For hand operated grease guns only

# **6" Steel Extension**

#### 77700-03384

- Straight adaptor
- 1/8" NPT



#### **Heavy Duty Grease** Gun Holder 77700-02474

- Rugged holder firmly secures standard size tube-style and most battery-operated grease guns
- Mount as needed with 1/4" carriage bolts (not included)

#### **Grease Injector Needle** 77700-03386

- Lubricates in tight spaces
- Equipped with standard grease fitting without check ball
- Includes plastic protective cover

# **6 Ounce Pistol Grip Oil Can**

#### 77700-03382

- All steel construction from tin-coated sheet
- 6" rigid spout
- Springless suction valve design provides trouble-free performance



#### **Grease Joint Rejuvenator** 77700-02453

- Unclog frozen grease joints
- Works on farming, excavating, construction, industrial equipment, aircraft, automobiles, trailers and more



• Includes 5" flex hose for hard-to-reach areas

# **Flexible Grease Hoses**

### 12" 77700-02472

- Flexible hose extension for
- hard-to-reach places
- Minimum radius bend of 1.57"
- Hose ID: .14" / OD: .33"
- Working Pressure up to 240 BAR / 3500 PSI



### **Grease Gun Holder** 77700-03387


- Simple snap action design
- Perfect for safe and convenient storage of grease gun
- Mounts on almost any surface

#### **Grease Fitting Tool** 77700-03385

- Works with both straight & angled fittings
- Re-tapping holes for installing new grease fittings
- Designed for removing worn or broken threads
- Hex size: 5/16" (7 mm) and 3/8" (9 mm)
- Tap re-threads: 1/4"-28








# FILTER WRENCHES

# **Oil Filter Wrench**

• Features a swivel handle which allows users to get to filters in hard-to-reach areas



Cushion grip vinyl handle

ltem No.	Size	Filter Diameter	Small/ Medium
77700-03661	Small	2-13/16" to 3-5/32"	_
77700-03662	Medium	3-1/2" to 3-7/8"	
77700-03663	Truck/Tractor	4-3/4" to 5-1/8"	

### **Truck Filter Wrench** 77700-03664

• Fits small diameter filters from 4-1/8" to 4-21/32" (105 mm to 118 mm)



- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters
- Use with 1/2" square drive

# **Full Range Filter Wrench Pliers**

- 77700-03668
  - 17" overall length with jaw range of 4-1/4" to 7"
  - Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Heavy duty forged construction
  - Rubber grip handles provide leverage and extra reach
    - Serrated teeth for better grip and grabbing power



#### **Nylon Strap Oil Filter Wrench** 77700-03665

Truck/

Tractor

- Adjusts quickly to any spin-on filter up to 6" in diameter
- Strong nylon web belt will not slip
- Use with 1/2" square drive

# **Filter Strap Wrench**

### 77700-11842

- Accommodates up to 7" Diameter
- 12" Aluminum I-beam handle
- 36" Non-marring nylon strap for easy gripping of round, irregular shaped objects, tubes & pipes

0

# DEF KITS

# DEF Tote Mounting Kits (Closed system, tote not included)

• Basic with Micro Matic Coupler: 77700-06165 Includes Electric 110V AC DEF Pump, Stainless Steel Tote Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Tote Adapter Cap and Down Tube, Inlet Hose (EPDM) 6' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

#### • Advanced: 77700-06166

Kubota

Includes everything in the Basic with Micro Matic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

#### • Premium: 77700-06167

Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter

### DEF Drum Mounting Kits (Closed System, drum not included)

#### • Basic with Micro Matic Coupler: 77700-06169

Includes Electric 110V AC DEF Pump, Stainless Steel Drum Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Down Tube, Inlet Hose (EPDM) 4' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

#### • Advanced: 77700-06170

Includes everything in the Basic with Micro Matic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

#### • Premium: 77700-06171

Includes everything in the Advanced kit,in addition to the DEF Digital Turbine Meter

#### Micro Matic RSV Dispense Coupler 744-048 77700-06178

• Features VITON seals and 3/4" hose barb outlet that attaches to the suction side of the pump hose



- Used to connect to the container valve for clean, safe closed-system dispensing
- Self-venting coupler allows air into the container to produce a smooth flow
- 90° angle with 3/4'' fittings
- Dependable VITON seals for leak-resistant performance



#### Micro Matic RSV Container Valve 743-097 77700-09082

- 2.5" x 5 Buttress Thread with EPDM seals
- Connects the RSV Micro Matic Dispense Coupler (77700-06178) to Tote or Drum for a closed system (Tote connection requires IBC Center Cap 749-326)
- AISI 304 Stainless Steel Construction

# **DEF Kit Accessories**

ltem No.	Description	
77700-09083	Down Tube for Drum, 810 mm	
77700-09084	Down Tube for Drum, 1,065 mm	
77700-09085	6" ICB (Tote) Center Cap 749-326	
77700-06172	Stainless Steel Tote Mounting Plate	
77700-06173	Stainless Steel Drum Mounting Plate	
77700-06174	4 Electric 110V AC DEF Pump	
77700-06175	DEF Digital Turbine Meter	
77700-06176	Nylon Manual DEF Nozzle	
77700-06177	SS Auto Shut-Off DEF Nozzle with Swivel	
77700-06181	Inlet Hose (EPDM) 6' Long x 3/4" ID	
77700-06182	Discharge Hose (EPDM) 20' Long x 3/4" ID	
77700-06183	Connecting Hardware	

#### Drum Level Indicator 77700-09769

- Fits 3/4" holes on drums
- Convenient method to check remaining fluid level in a 55 gallon drum
- Indicator can be adjusted to show readings in gallons
- For use with oil, fuel, water and water based fluids, coolants, etc.



# PUMPS

#### Lever Action Bucket Pump 77700-12948

- Industrial Grade: Recommended for transferring transmission differentials and heavier oils
- Long Lasting: Zinc plated pump body with aluminum die-cast head and adjusting flange
- Quality Finish: Powder coated steel drum cover is resistant to chipping, scratching, fading and wearing
- Rugged Reliability: Zinc diecast piston fitted with wear resistant brass piston rings
- Comes Complete: With 48"/4' fuel resistant soft PVC hose with nozzle for efficient discharge
- For use with 5 gallon buckets, sold separately (77700-12850)

#### Battery Operated Siphon Pump 77700-09771

- Multi-purpose siphon can pump up to 1.8 GPM (7 LPM)
- Powered by 2 "D" size batteries (not included)
- For use with light oils, diesel, kerosene, water & other water based media, etc.
- Suitable for use on
   5 Gallons / 20 liters pails

# Drum Cradle

77700-13400

- Versatile cradle tips, rotates, moves and stores 55 gallon drums / 400 lbs.
- Equipped with self storing lever bar
- Large 2-1/2" non-sparking wheels for easy mobility and suitable for flammable environments

NEW

• Powder coated finish for lasting durability

#### Battery Operated Fluid Transfer Pump 77700-10673

- Provides quick transfer of fuel, diesel, DEF/Adblue, water & water based media
- Flow control nozzle
- Self-priming pump with 3V DC motor
- Flow rate: up to 2.3 GPM (9 LPM)
- Requires (2) D
   batteries (not included)

# 4 Wheel Drum Dolly

77700-13401



- Heavy duty 11 gauge steel construction easily moves 55 gallon drums in shop, rough work environments
- Durable powder coated finish resist corrosion, harsh elements
- Firmly welded 4 heavy duty caster

#### Plastic Lever Pump with 2" Bung Adapter 77700-09768

- Lever action barrel pump, designed for use with high viscosity oils, agricultural chemicals and more
- Built-In 2" bung adapter allows the pump to be fixed on drums with 2" opening
- Includes suction tube for use with 15–55 gallon drums & 6-1/2' x 3/4" flexible corrugated discharge hose
- Delivers up to 1 pint per stroke

#### Battery Operated 14.8V Bucket Pump 77700-13406

- Rechargeable
   lithium-ion battery
- Quick stop & flow control safety nozzle
- For use with 5-7 gallon pails
- Flow rate: up to 4.5 GPM
- For use with gasoline, engine oil, diesel, kerosene, DEF, hydraulic fluid, antifreeze and more

#### 18.5V Battery Operated Drum Pump 77700-09770

NEW

- AC/DC rechargeable drum pump for use with 55 gal drums or IBC's
- 18.5V Li-ion battery and 1 hour quick charger
- Delivers up to 7.4 GPM
- For use with diesel, kerosene, DEF, Adblue<sup>™</sup>, antifreeze, detergents, soap solutions, pesticides, herbicides and water based media

Fuel & Oil Equipment





# FUEL CONTAINERS

### SureCans

- Rotating nozzle dispenses fuel from the bottom for total ease of use and allows you to reach those awkward fill locations
- Allows user to control the flow speed with their hand not their back
- Self-venting valve ensures consistent flow

Kubota

- No tipping or applying pressure to the nozzle in order to use the product
- Six layer HDPE making the SureCan the most durable fuel can available
- All SureCan products come with a 3-year warranty
- FM Approved and meets OSHA, CARB, NFPA, and MSHA Type-II Safety Can Guidelines

ltem No.	Description	Fuel Type
77700-10682	2.2 Gallon	Gasoline
77700-13351	5 Gallon	Gasoline
77700-13352	5 Gallon	Diesel
77700-13353	5 Gallon	Kerosene

# **5 Gallon Type 1 Metal Safety Cans**

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Rugged 24 gauge construction is guaranteed leak-proof
  - ·
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
  - FM, UL, ULC certified
  - Accepted container under CARB

ltem No.	Fuel Type
77700-01541	Gasoline
77700-01542	Diesel
77700-03652	Kerosene

# **Plastic Fuel Containers**

- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards 77700-03650
- Easy-flow/spill-proof spout provides safe fuel storage and easy pouring

Item No.	Capacity	Fuel Type
77700-03647	1 Gallon	Gasoline
77700-03648	2 Gallon	Gasoline
77700-03649	5 Gallon	Gasoline
77700-03650	5 Gallon	Diesel
77700-03651	5 Gallon	Kerosene





- Spill-proof no caps to unscrew
- Self-venting / auto shut-off



UNITED STA

AL PROTEC

# Gas Container Rack NEV

- Versatile rack can be mounted on either enclosed or open style trailers
- Holds one 5 gal or two 2-1/2 gal polymer cans (not included)
- Includes durable nylon strap
- Black powder-coated steel resists rust for lasting durability

# FUNNELS

# Fluid Change Funnel

#### 77700-11841

- Perfect for high accuracy oil applications
- On/off spout with tube and cap
- Easy grip handle for premixing
- Precision measuring and pouring
- Measuring increments from 1/2 pint to 1 quart

NEW

# Auto-Stop Fuel Funnel

- 77700-13405
- 16 oz. polypropylene funnel
- Easy pour-off spout
- Built-in filter screen
- 5" top opening / 1" bottom spout ID opening

#### Universal Pour Spout Funnel 77700-01543

- For use with Type 1 safety cans and FM certified
- Attaches quickly for safe, leak-free pouring
- The innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage



<sup>77700-03371</sup> 



# Fluid Change Syringe 77700-11843

- Enables easy removing of various fluids
- Includes an extension & adapter for greater reach
- For use with all types of vehicle fluid
- Easy-to-read volume scale
- Units of measure: QT / CC
- Max capacity: 0.21 QT / 200 CC



# Portable Fuel Filter Funnel

- Dirty Fuel In.....Pure Fuel Out
- Protect your investment and keep your engine running better, longer, more efficiently
- Unique filter technology features fluoropolymer-coated stainless steel filter
- Sump area collects deflected water and debris for proper disposal
- Works with gasoline, diesel, heating oil and kerosene

Item No.	Description
77700-08589	Small
77700-08590	Medium
77700-08591	Large







- Ideal for agriculture and construction industry
- Fights contamination and promotes a clean workshop environment
- Screened funnels feature an in-spout safety screen that reduces contamination and an outer ribbing design that eliminates air lock

ltem No.	Capacity	Top ID	Spout ID	Height	
77700-03371	1 Pint	3"	1/2"	9-1/2"	
77700-03372	1-1/4 Quart	4"	5/8"	10-1/2"	1
77700-03373	1-1/2 Quart	4″	5/8″	17"	7
77700-03374	1-1/2 Quart	4"	1-1/8″	13-1/4"	
77700-03375	1 Pint	4-1/2"	1/2"	6″	
77700-03376	2 Quart	6-1/2"	1-1/16"	8-1/2"	
77700-03377	6 Quart	8-1/2"	1-5/16"	10-1/2"	



77700-03377

7700-03376



OD: 1/2"



# **FUNNELS & OIL CHANGE**

# **3-Quart Drum Funnel**

- 77700-08592
- Overall Height: 9-3/16"
- Top ID: 7-1/2"
- Spout Length: 1-7/16"
- Spout OD: 2-1/4"
- 2" Thread
- Max Temp: 250° F

#### 18" Long Reach 1 Quart Funnel 77700-03378

- 18" spout ideal for hard-to-reach or confined areas
- Spout ID: 7/16"
- Top ID: 4-3/4"

#### Multi-Purpose On/Off Pour Spout 77700-03645

- On/off adjustable flow spout
- I Fits quart or gallon containers

Reduced tip for transmission filler tubes
Flexible, clear tube keeps

- contents visible
- Fits in tight places



# Oil Change Kit

#### 77700-09765

- Convenient kit includes everything you need to change oil or fluids in any engine powered vehicle, maintenance equipment or outdoor power sports machine
- Includes: one 6.5 qt. drain pan, one 1-pint oil funnel, one 15" x 18" absorbent pad, two pairs nitrile gloves, four shop towels




#### 1 Pint Funnel with 21" Flex Hose 77700-03379

- Spout ID: 1/2"
- Top ID: 5"
- Fights contamination and promotes a clean workshop
- Unique design prevents leftover fluid from dripping out



# Pour Spouts

- Flexible spout ideal for hard-to-reach areas
- Includes cap to eliminate unwanted drips
- Chemically-resistant clear tube keeps contents visible



# **Closed Drain Pan**

- High density polyethylene drain pan for recycling of used oil
- Perfect for transporting waste fluids
- Closed design for safe & spill-free disposal

 15 Qt. comes

complete with wheels for slosh & spill free mobility



77700-12837

77700-12157

Item No.	Capacity	Dimensions
77700-12157	9 Quart	20.5" L x 13.25" W x 5.5" H
77700-12837	15 Quart	18" L x 16" W x 5" H



- 3 gallon capacity
- Chemically-resistant polypropylene

# Clean & Shine™

- High-performance washless cleaner that cleans, shines, and protects
- Invisible protective coating protects surfaces and repels dirt, dust, fingerprints, smudges, and bugs
- Safe on plastic, leather, acrylic, plexiglass, Lexan, chrome, fiberglass, and paint
- Dries quickly and buffs to a streak-free finish
- Helps to resist scratching and marring of surfaces
- Repels water, prevents fogging, and is odorless and non-abrasive

Item No.	Description
77700-12824	2 oz.
77700-12825	16 oz.
77700-12826	32 oz.
77700-12827	Premium Microfiber Towel
77700-12828	Clean & Shine Kit



Scan the QR code to view a demo video!



# **Citrus Hand Cleaner Lotion**

- A. 1 Gallon Smooth 77700-05580
- B. 15 oz. Smooth 77700-05579
- C. 1 Gallon Pumice 77700-05582
- D. 15 oz. Pumice 77700-05581
- Advanced cleaning and skin conditioning
- Contains premium-grade cleansing agents that quickly dissolve the toughest soils

### Heavy-Duty Multi-Purpose Cleaning Wipes

- E. 77700-05578
- 90 count dual-textured wipes
- Convenient hand cleaner/scrubber wipe combination eliminates the need for water or towels

C (Ubota

CLEAN & SHINE" KIT

B3C Fuel Solutions products are engineered to keep equipment running and lasting longer by IDENTIFYING (TESTING FOR), FIXING and PREVENTING fuel-related issues (like water and contamination) that can lead to engine starting and operating problems. B3C products help Do-It-Yourself (DIY), professional, and industrial users save time and money by avoiding repairs, downtime, and unnecessary costs.



Scan with phone camera for How-To-Use videos of Mechanic In A Bottle and Ethanol Shield

**GASOLINE SOLUTIONS** Gas can go bad quickly! Contaminants like water, ethanol, gums and more can cause starting and operating problems. Protect and maintain your valuable investment with our solutions!

#### **TEST** for gas quality

Mechanic In A Bottle™ 2-in-1 Gasoline Quality Test 77700-10666

Kubota



# QUICKLY TEST FOR BAD FUEL & WATER CONTAMINATION

- For both standard and 2-cycle mixed gasoline
- 2 Part test for stale fuel or water
- Keeps bad fuel out of equipment
- Fast, easy & inexpensive test quality and see if you have water contamination

# NEW

**UPGRADED** gas & diesel formula

### Mechanic In A Bottle™ Gas & Diesel

Item No.	Description
77700-13537	4 oz. (12 Pk Display Tray)
77700-13538	8 oz. (9 Pk Display Tray)



#### **FIX AND MAINTAIN ALL GAS & DIESEL ENGINES**

- Cleans injectors and the entire fuel system so that it starts efficiently and operates in top condition
- Fuel stabilizer keeps fuel fresh; protects the engine, prevents problems & helps with easy starts after storage
- Superior antioxidant and anticorrosive package
- Removes varnish, shellac, carbon deposits and disperses water in the fuel system
- Helps prevent the formation of fuel contaminants including gums, varnishes, sludge deposits, bacteria, fungus
- On machine carburetor, injector, & internal engine component cleaning
- Reconditions rubber and plastic components and rejuvenates rubber gaskets and seals
- Replaces lost lubrication, extending the life of pumps and injectors
- Helps revitalize old fuel

**DIESEL SOLUTIONS** Did you know that WATER is a main problem with diesel fuel? Water accumulation can lead to microbial growth (like bacteria and mold) which leads to sludge, rust, asphaltenes, plugged filters and more! STOP the water and you greatly reduce the issues!

3731

#### **TEST** for diesel fuel quality

# Diesel Mechanic In A Bottle™ 4-in-1 Fuel & Tank Contamination Test Swabs

Includes 10 swabs

 Includes an extension wand that reaches to the bottom of the tank

#### QUICK TEST FOR FUEL QUALITY, WATER & CONTAMINATION

- Test for: bad diesel fuel (fuel oxidation), water contamination, rust & scale, sludge & asphaltenes
- Test fuel to avoid damage/repairs
- Keep contaminated fuel out of equipment
- Fast, easy & inexpensive test

### **PREVENT** fuel related issues

# Ethanol Shield™ Fuel Stabilizer

ltem No.	Description
77700-10660	4 oz. (12 Pk Display Tray)
77700-10661	8 oz. (9 Pk Display Tray)



#### FIX diesel issues; remove the water

#### Diesel Tank Water Extractor/Absorber 77700-10717

Keep in your storage tanks at all times. Reuse approximately 10 times or until dirty.

#### **REMOVES WATER & RUST**

- Fixes issues by removing existing water
- Removes water & salt water from storage fuel tanks
- Easy installation & removal by high strength tether line, included
- Neodymium magnets remove insoluble rust
- Treats 80 to 160 gallons of diesel fuel
- Fast, easy & inexpensive test

#### FUEL STABILIZER PREVENTS FUTURE ENGINE PROBLEMS

- Stabilizes fuel up to three years
- OEM Tested, verified & used
- Prevents engine repairs & ethanol fuel problems
- Works in all 2 & 4 cycle engines
- Prevents water issues, conditions rubber & plastic
- Vapor corrosion inhibitor (VCI) protects above and below the fuel line
- No alcohol

**OIL SOLUTIONS** All oils, including new oils, are negatively affected by water. Bound water in oil has no lubrication. Dissolved water molecules (polar) actively seek other polar molecules, including metals, additives such as detergents, antioxidants, friction modifiers and anti-wear additives. Water will come out of suspension and form white gummy masses in areas of the unit and cannot be flushed. Solution - MIB Oil Fix & Stabilizer can FIX and PREVENT emulsified oils equipment runs and operates at maximum efficiency.

Mechanic In A Bottle™ Hydraulic Oil Fix & Stabilizer

77700-13412 1 Gallon 77700-13413 24 oz.



#### FIXES & PREVENTS MILKY CONTAMINATED HYDRAULIC FLUID

- Stabilizes oil/fluid
- Oil system flush
- Adds lubricity, anti-corrosive
- Neutralizes acids and encapsulates water



# **Diesel Exhaust Fluid (DEF)**

Kubota DEF is an API certified diesel exhaust fluid made of a non-toxic solution of 67.5% purified water and 32.5% ultra pure automotive grade urea. Kubota DEF is not a fuel additive. Instead, when injected into the exhaust stream and passed over a catalyst, Kubota DEF helps convert NOx into nitrogen gas and water vapor.

- Non-toxic
- Non-flammable
- Non-polluting
- Meets ISO 22241 specifications

ltem No.	Description
77700-10670	2.5 Gallon
77700-10671	55 Gallon Drum
77700-12945	330 Gallon Tote



# **DEF Contamination Test Strips**

77700-13382 (100 Strips/Bag)

It's important to keep DEF free of contamination as it can shorten the life of or damage the SCR system. The test shows contamination such as diesel fuel, oil, gasoline and other hydrocarbons.



NEW

- Simple, low cost, easy to use
- No color change = PASS
- Darker color change = FAIL



# **Polar D Winter Treatment**

#### 77700-10669 24 OZ.

- Absorbs water
- Prevents gelling, waxing, freezing and icing
- Lowers pour point and cold filter plug point
- Increases lubricity
- Contains cetane improvers and injector cleaners
- Increases fuel economy, horsepower and torque
- Contains no alcohol or solvents
- Diesel Treatment



#### E F Α В С D

# **Brake & Parts Cleaner**

#### A. 77700-05575

 Removes contaminants from metal parts, brake linings and pads, springs, cylinders and fasteners

# **Cleaner/Degreaser**

#### B. 77700-05576

• Removes oil, printing inks, grease and tape residue (not available for sale in California)



# **Diesel Power Year-Round Treatment**

### 77700-10668 24 OZ.

- Totally disperses water
- Contains cetane improvers
- Contains lubricity additives
- Cleans the injection system
- Contains no alcohol or solvents
- Tier 4 engine compliant
- DPF approved

#### Super Strength Penetrating Oil C. 77700-05574

• Frees corroded or rusted parts and clings to frozen parts until loosened

# **Carb & Choke Cleaner**

- D. 77700-05573
- Quick acting—penetrates through oil, dirt, gum, etc. and sprays in any position

# **Glass Cleaner**

#### E. 77700-05577

• Non-abrasive and contains ammonia and other cleaning power additives

# **Chain & Cable Lube**

#### F. 77700-05572

• Penetrates to protect pins, bushings and inner core of wire cable with good rust protection and sprays in any position

# White Litho Grease

#### G. 77700-06324

 Long lasting lubrication and protection that won't freeze, melt or run





# **Powerful Corrosion Protection & Superior Lubrication**

Fluid Film is the worldwide standard for corrosion control and equipment maintenance. Its unique woolwax (lanolin) formula contains no solvents to evaporate. Always active, it will not become tacky and will not readily freeze, providing long-term protection to all metals and superior lubrication to all moving parts.

OTECTION

В

# Fluid Film

- A. 11 oz. Aerosol 77700-07288 B. 1 Gallon 77700-07289 C. 8 oz. Brush Top Can 77700-07290
- D. NEW! 5 Gallon 77700-12944

# THE PERFECT SOLUTION TO RUST PREVENTION

Numerous applications including corrosion protection, lubrication and water displacement. Proven in the most severe conditions, FluidFilm stops rust on contact. It creates a non-drying barrier of protection that moisture and corrosive environments cannot penetrate.

# Non-Aerosol Spot Sprayer

77700-12949

- 32 fluid ounces
- Refillable
- ECO-friendly
- Eliminates dangerous or harmful propellants
- 80-150 PSI operating pressure
- Not for use with paint products or flammable propellants
- Ideal for Fluid Film, Kubota Clean & Shine and related items

# Acid-Free Grey Silicone Gasket

#### 07935-60074

- Solvent-free and non-acid liquid gasket based on modified silicone with low odor emission
- Within a very short time it forms a rubber-like high elastic gasket completely adapted to the surface structure of the flange faces





#### Semi-Drying Grey Silicone Gasket 70000-74000

- A synthetic rubber, visco-elastic sealer that is semi-drying
  - Applications include sealing transmission case covers, motorcycle cases, timing chain cases, side covers, 2-piece cylinders, clutch housing bolts and oil filter mounting surfaces



#### DEPEND ON THE WORLD'S MOST TRUSTED BRAND

Scan the QR code to

view a demo video!

- Easy to apply
- Will not harm most paints, plastics, or oil-resistant rubbers
- Non-hazardous, non-toxic product that will not burn crops when used on cutting equipment, will not freeze in harsh climates or conditions and is a great water displacement product in moist conditions

# Grey Silicone Gasket

#### 70000-73764

- OEM specified, high viscosity silicone grey gasket maker
- Excellent oil resistance (engine oil, gear oil, transmission oil)
- For use with LLC—cures at room temperature and has rubber-like elasticity



# Liquid Gasket Sealant 77700-01822

- OEM specified, high viscosity silicone aluminum gasket maker
- Non-slumping paste with strong adhesion properties to metals and plastics; effective in vibrating conditions
  - Highly resistant to oil, chemicals and coolants
  - High temperature applications



# **Premium Tire Sealant**

Kubota Premium Tire Sealant is simply the finest tire sealant in the world. Our high-quality sealant not only seals tread area punctures but also rim and bead leaks, weather cracking and porosity leaks. The tire sealant stays effective for the life of the tire!

> Coats all inner surfaces of tire and rim to prevent all forms of air loss, including rim, bead and porosity leaks

Installs easily

through the valve

stem once the valve core is removed

- Seals hundreds of punctures up to 1/4" diameter
- Up to 3/4" punctures normally seal in heavy ply industrial tires
- Keeps tires properly inflated
- Keeps tires up to 35° cooler
- Makes a permanent repair
- Reduces blow-outs
- Indefinite shelf life
- Reduces lost man hours
- Extends tire casing life
- Reduces thrown re-treads
- Eliminates tire repair costs
- Increases fuel economy
   of vehicles

### HOW IT WORKS

Seals punctures up to 1/4" in standard tires and up to 3/4" in heavy ply tires

- Reduces equipment downtime
  Coats evenly, aids heavy truck tire balance
- 100% Water soluble for easy cleanout
- Meets EPA standards for municipal disposal
- Non-flammable, non-hazardous
- Will not rust, corrode, or pit wheels
- Does not void tire manufacturer warranties
- Works in tube type tires
- More effective in tubeless tires

Scan the QR code to view a demo video!





# A B C D E

	Item No.	Description
Α	77700-05583	32 oz.
В	77700-05584	1 Gallon
C	77700-05539	5 Gallon
D	77700-05585	Pump for 5 Gallon
Ε	77700-05586	POP Display
	77700-06115	55 Gallon Drum
	77700-06116	275 Gallon Tote

### COATS EVENLY WHILE DRIVING & SEALS ALL INTERIOR SURFACES

I've been using Kubota Tire Sealant since Kubota started offering it. Our customers are really impressed with it & recommend it to their friends. We haven't had any complaints from anyone! Our salesmen recommend it when selling lawn mowers & for the front tires on tractors. We also use 5 gallon pails in the shop.



28

# **HighTec HLP 22 Hydraulic Fluid**

### 77700-12946 20 LITER / 5.3 GALLONS

HIGHTEC HLP 22 is a multi-purpose lubricating oil with a high load-bearing capacity that improves performance in mixed-friction conditions, thus counteracting friction or frictional vibrations due to stick-slip.

- High-guality hydraulic fluid containing additives for preventing corrosion, wear, ageing and friction. Highly effective EP active agents guarantee excellent compression resistance.
- Viscosity: ISO VG 22
- Base oil: Mineral based
- The quality of this product is equivalent to EU regulations: DIN 51524, p.1 and 2 (HL, HLP) - ISO 6743/4 (HM); ISO 11158 (HM) - AFNOR NF E 48-603 (HM) - SS 155434 - VDMA 24318 - Vickers I-286-S
- Kubota factory filled OEM specified



**Protect Your Engine From:** 

### Extended Life Antifreeze/Coolant

Spend more time on the job and less time taking care of unnecessary breakdowns with Kubota brand Coolant/Antifreeze. Kubota coolants, available in Concentrate formula and 50/50 Premix are engineered and approved to match Kubota engines and other high performance engines. Consumer grade automotive coolants are no match for the heavy duty protection you get when using Kubota brand Coolant/ Antifreeze!

- Specially formulated and approved to work with Kubota engines and components
- Provides excellent corrosion protection, preventing corrosion of metal parts in the cooling system
- Compatible with all materials in the cooling system—resulting in corrosion protection performance and non-metal compatibility performance for long-term life and performance
  - Color: green

Water pump failure     Cavitation		ltem No.	Description	Size	Freezing	Boiling
<ul> <li>Rust and corrosion</li> <li>Hard water deposits</li> </ul>		77700-06325	50/50 Premix	1 Gallon	-34° F	265° F
<ul> <li>Winter freeze up / summer overheating</li> <li>Gel build-up</li> </ul>		70040-0L014	100% Concentrate	1 Gallon	-34° F	265° F
	NEW	77700-13454	100% Concentrate	55 Gallon	-34° F	265° F
	NEW	77700-13455	50/50 Premix	55 Gallon	-34º F	265° F

# **Rowe HighTec** Antifreeze

Water pump failure

- 77700-07598
- Premium radiator antifreeze concentrate based on monoethylene glycol and free of nitrite amine and phosphate, providing superior corrosion protection
- Select model factory fill blue coolant
- Provides reliable protection against deposits and foaming, thus ensuring optimum heat removal



# Dot 4 Brake Fluid

### 70000-13543

- Blend of premium grade glycol and glycol ethers with inhibitors for corrosion protection
- Designed for use in braking systems fitted with rubber cups and seals made from styrenebutadiene rubber (SBR), or a terpolymer of ethylene, propylene, and a diene (EPDM)



30103

201



# SPILL CONTAINMENT



#### **Commando Spill Containment Kit** 77700-09774

- Ideal for transportation, pesticide-hauling vehicles, chemical handlers or haulers. Also ideal for mixing and storage areas.
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Fluid pickup rating is 6 gallons per kit
- Each kit includes: Qty 1 Highly visible yellow chemical-resistant carry bag, Qty 1 - Bag of General Absorbent (77700-09776), Qty 2 - Diking tubes (3.5" x 48"), Qty 2 - Pillows (12" x 21"), Qty 2 - Temp spill disposable clean-up bags, Qty 1 - Pair 15 mil nitrile gloves, Qty 1 - Pair safety goggles, Qty 1 - Pair Tychem SL Saranex boot covers and Qty 1 - Instruction sheet



#### Minuteman Spill Containment Kit 77700-09775

- Ideal spill response kit for transportation, trucking and general chemical spills
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Pickup rating is 7 gallons of liquid per kit
- Each kit includes: Qty 1- Highly visible orange chemical-resistant carry bag, Qty 1 - Bag of General Absorbent (77700-09776), Qty 3 -Diking tubes (3.5" x 48"), Qty 2 - Pillows (18" x 18"), Qty 1 - Pair 15 mil nitrile gloves, Qty 1 - Pair of safety goggles, Qty 1 - Pair rubber boot/shoe covers (X-LRG), Qty 2 - Temp spill disposable clean-up bags, Qty 2 - Hazardous waste labels, Qty 2 - Non-Hazardous waste labels and Qty 1 -Instruction sheet



# Shop Service Bay 30 Gallon Kit

#### 77700-09779

- Ideal for manufacturing plants, warehouse, chemical storage, and mixing and loading areas
- Comes in a weatherproof drum
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- After cleanup, drums can serve as sealed, safe storage and disposal containers for absorbed spill materials
  - Each kit includes 15 Chemsorb<sup>®</sup> GA Diking Tubes, 10 Chemsorb<sup>®</sup> GA Pillows, 4 HazMat Disposal Bags, 2 Tychem SL Saranex Coveralls, 2 pair Splash Goggles, 2 pair Rubber HazMat Boots, 2 pair 15 mil Nitrile Gloves, 1 Roll Caution Tape, 4 HazMat Labels, 4 non-hazardous waste labels, 1 parts reorder form

# SPILL CONTAINMENT

### General Absorbent Service & Parts Spill Containment

- Chemsorb<sup>®</sup> GA (General Absorbent) is the leading lightweight, fast-acting absorbent formulated to quickly clean up any liquid or semi-solid spill
- Based on all natural perlite, this product is enhanced with a proprietary de-dusting technology which facilitates ease of use and fast absorption
- Absorbs 7 times more liquid than the leading clay brands and does it 3x faster
- When swept up, the floor is left clean and dry, providing a cleaner environment
- Meets all OSHA and EPA standards, it is silica-free and USDA and NSF approved for use in food processing facilities
- Proudly made in USA

Item No.	Description	
77700-09776	3 lb	
77700-09777	10 lb	
77700-09778	Service & Parts Spill Containment 60 lb Drum	







#### Chemsorb<sup>®</sup> Universal Absorbent Pads 77700-11845

- 15" x 18", 100 pads
- Dimpled pattern will quickly soak up liquid
- Lightweight sorbents pads provide the users with a durable absorbent for cleaning up petroleum-based spills and leaks effectively
- Absorbency per pack: 21 gallons
- Even when fully saturated, it will keep its shape



# Chemsorb General Absorbent Woven Diking Tubes

#### 77700-10736

- Surround the most aggressive spill with our rugged 3.5" x 48" diking tubes that absorbs oil, fuel, water, coolants and more
- Designed to be rugged and durable enough to survive real-world applications including: spills, leaks, discharges, drips and leaching
- Pulls the liquid into its' core and traps it, leaving a dry and residue-free surface
- 4 Pack

#### Chemsorb® Oil Only Absorbent Pads 77700-10734

- 15" x 18" 50 per box
- Absorbs the oil and leaves the water behind
- Hydrocarbon-based fluids stick to the fibers while repelling water
- Meltblown sorbent pads made from a single layer of strong, uniform polypropylene fibers
- Formulated to quickly clean up hydrocarbon liquids including: oil, gasoline, diesel fuel, aviation fuel, petroleum, kerosene, motor oils and transmission oils
- Incinerates to less than two percent ash, will not mildew and will float indefinitely

# Chemsorb<sup>®</sup> Heavy Duty Absorbent Barrel Top Pads

#### 77700-10735

• The 22" diameter universal drum toppers will fit standard 55-gallon drums and stop liquids from reaching the floor



- Universally absorbs all liquids, trapping them inside the dimpled structure
- Rapidly soaks up all liquids, both oil-based and water-based
- Packed 10 per box



# **RATCHET STRAPS**

# 1.5" Adjustable Wheel Bonnet Straps

- 77700-12159
- Safety release ratchet
- Snap hooks
- Long strap with D-ring end
- 5500 lb. break strength
- Includes: 1 ratchet with snap hook, 1 strap with snap hook end, 1 long strap with D-ring end, 1 cross strap with adjustment loops





#### 10' x 1" Camo Ratchet with S Hooks 77700-12133

- Coated S hooks
- All black metal parts
- Built in hook loops
- Camo webbing
- Camo handle grip
- 1500 lb. break strength

# **ShockStrap® Load-Absorbing Ratchet Straps**

- **Dependable** a ShockStrap provides superior shock absorption without coming loose—keeps tension on the strap
- Safety Strap a backup strap in case the ShockStrap is compromised
- **Durable** made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- **Rust Resistant** hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- Soft Loop flexibility to always find a way to secure your load
- 2 Pack Card with informative text and product images

ltem No.	L x W	Break Strength	Work Load
77700-10680	9' x 2"	6,000 lbs.	2,000 lbs.
77700-10681	18' x 2"	6,000 lbs.	2,000 lbs.





Scan the QR code to view a demo video!

# **Cargo Straps**

- Thermoplastic rubber handles molded onto frames
- Weather resistant and corrosion resistant hardware finished with zinc and nickel plating or powder coating





77700-03176

# **Heavy Duty Ratchet Tie Downs**

ltem No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03176 (2 pk)	27' x 2"	JJ Hook	Bar Handle	10,000 lbs.	3,300 lbs.
77700-03177 (2 pk)	27' x 2"	Flat Hook	Bar Handle	10,000 lbs.	3,300 lbs.



# **Standard Duty Ratchet Tie Downs**

Item No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03169 (ea)	16' x 1"	S Hook	Small Bar Handle	1,500 lbs.	500 lbs.
77700-03175 (ea)	16' x 1.5"	JJ Hook	Sure Grip Handle	5,000 lbs.	1,666 lbs.
77700-03178 (2 pk)	6' x 1"	S Hook	Small Bar Handle	1,800 lbs.	6 <mark>00 lbs.</mark>



• Cut and abrasion resistant webbing is woven from high tensile strength polyester that

performs better than nylon



# **TIE DOWNS & TARP STRAPS**

**Adjustable Tarp Straps** 

• 36" Overall length

6 Pre-molded holes

along the strap for

Made of FlexaPURE<sup>®</sup>

contains no rubber

• UV-, chemical-, fueland oil-resistant

All weather, all year

Length

24"

36"

36"

Black

Orange

Black

Made in the USA

Item No.

77700-03656

77700-12134

77700-03658

or latex

Integrated nylon hooks

on-the-go adjustments

#### 8' x 3/8" XRT Rope Lock Tie Down 77700-12132

- Push button release
- Scratch-resistant coated hooks
- 3/8" diameter rope (9.5mm)
- 500 lb. load limit



Scan the QR code to view a demo video!



# **Heavy Duty Tarp Straps**

- The 24" tarp strap features patented molded stirrup holes for adjustable length
- Weather and crack resistant natural rubber
- Versatile strap with high elasticity holding power
- Outlasts standard straps by over 30%

ltem No.	Length	Color
77700-03653	9"	Black
77700-03654	15″	Black
77700-03655	21″	Black
77700-03657	31"	Black
77700-03659	41″	Black



Heavy Duty-Standard

# Salt and fresh waterproof Limited lifetime warranty Color



#### **Tarp Strap S-Hooks** 77700-03660

- Four pack replacement hooks
- 5 mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish

# Soft Shackle for Recovery Rope

### 77700-13411

- Made of Ultra High Molecular Weight Polyethylene (UHMWP)
- Effective way to guickly hook onto a vehicle and carry large loads.
- Dries quickly fibers do not absorb water.
- 33000 lbs. breaking strength
- Length: 22-3/4"
- Diameter: 7/16"





#### of its original length and "slingshots" the stuck vehicle

**Recovery Rope** 

77700-13410

abrasion

• 45% stronger and lighter than wire rope winch line

• 6" eye loops with protective

nylon sleeves to minimize

• Rope stretches up to 30%

- Safer than wire rope or chains if the line breaks
- 7300 lbs. breaking strength
- 1/2" x 20'



NEW

### CARGO CONTROL


#### **Cargo Control Kit**

#### 77700-12957

- Convenient kit includes all the essentials you need to help you secure and keep your cargo safe and damage-free, from gloves to straps
- Workload capacity 6,000 lbs
- Powder-coated and nylon parts prevent damage to your vehicle
- Adjustable equipment will allow you to confidently secure big and small loads
- Straps designed to provide tension to properly secure and stabilize cargo
- Quick release straps make it easy to unload
- Heavy duty storage bag

Cargo Net 77700-08978

- 34" x 34" stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes



#### **D-Rings**

• Easy bolt on installation

ltem No.	Description	Capacity
77700-08979 (4 pk)	Light Duty Surface Mount	1,200 lbs.
77700-08980	Medium Duty Surface Mount	5,000 lbs.
77700-08981	Weld On	15,000 lbs.
77700-08982	Weld On	20,000 lbs.



### Cable Ties

Higher tensile strength

- Low insertion force
  - Outdoor UV rating • Made in the USA

ltem No.	Length	Rating	Qty/bag	Color
77700-08983	7.6″	50 lb. / 222.5 Newton	100	Black
77700-08984	11.1″	50 lb. / 222.5 Newton	100	Black
77700-08985	14.6″	50 lb. / 222.5 Newton	100	Black
77700-08986	15″	120 lb. / 533.7 Newton	100	Black
77700-08987 (Mount Head)	8"	50 lb. / 222.5 Newton	100	Black
77700-08988	24"	175 lb. / 778.4 Newton	50	Black
77700-08989	7.6"	50 lb. / 222.5 Newton	100	Orange

#### **RTV Tow Strap**

- 77700-08977 • 1-1/4" X 12' tow strap with loops
- and shackle • 5,000 lbs.
- break strengthForged shackle
- Reinforced attachment loops





### **SAFETY CHAINS & TIRE CHAINS**

#### **Trailer Safety Chains**

- Used as a backup system in the event a trailer separates from the ball or hitch
- Assist in bringing the trailer to a stop
- The Gross Vehicle Weight Rating (GVWR) of the trailer helps determine which chains need to be used
- Two chains are required and each individual chain must meet or exceed the total strength equal to the GVWR of the trailer, not the two chains combined
- These chains give you a wide selection for use with the most popular trailer sizes used by your customers

Item No.	Description	GVWR
77700-09733	8/0 Straight Cross x 30 in 17/32 Trailer S Hook with Wire Latch one end Bright Zinc 2 pc/Ctn	7,600 lbs.
77700-09734	3/8 G43 x 35 in Clevis Slip Hook with Latch one end Bright Zinc 2 pc/Ctn	16,200 lbs.
77700-09735	3/8 G70 x 36 in Clevis Slip Hook with Latch one end Heat Treated Gold Chromate 2 pc/Ctn	26,400 lbs.



#### **Ag Safety Chains**

- With the unique easy latch hook, these safety chains are perfect for the aftermarket
- They replace the OE chain with an easy to use latching mechanism and meet all ASABE standards for towed equipment
- Whether replacing an old chain or attaching on a piece of refurbished equipment, these chains get the job done

Item No.	Description	Safety Rating
77700-09736	10,000 lb Ag Safety Assembly x 61 in Gold Chromart	10,000 lbs.
77700-09737	20,000 lb AG Safety Assembly x 62 in Gold Chromart	20,000 lbs.



#### **RTV-All Terrain Tire Chain**

- Heavy duty, twist link cross chain built to NACM specifications
- Two link spacing cross chains for additional traction
- Shipped in pairs

	Tire	Weight Per Pair	Import Item No.			
24 x 9 x 11	24 x 11 x 9	24 x 11 x 10	24 x 11 x 11		77700-06317	
24 x 11 x 12	25 x 8 x 12	25 x 10 x 11	25 x 10 x 12	70		
25 x 11 x 9	25 x 11 x 12	26 x 9 x 12	26 x 9 x 14	- 38		
26 x 10 x 12	26 x 10 x 14					



### TIRE CHAINS

#### RTV/Tractor Turf Tire Chains

Get maximum traction in ice or mud by using Kubota RTV Tire Chains typically a gauge or two heavier on cross chain wire diameter compared to competing models. Better traction, more durable and lasts longer than the competition tire chains.

- Heavy duty case hardened .234" cross chains
- The .234" wire size is the NACM spec for a lot of light truck sizes, so it's more than adequate for ATV/UTV use
- Cross links that are constructed with reinforced v-bar for extra off-road bite and extended wear
- All sizes feature two link spaced cross chains—twice the amount of cross chains vs. standard tire chain sets
- Provides extra traction and smoother ride
- Shipped in pairs



Kubota RTV	Tire Size	Item No.		
RTV400 / RTV500	24 x 9-12 ATV 24 x 9-12 HDWS 24 x 11-12 HDWS 24 x 11-12 ATV	77700-07841 (ATV, HDWS) 77700-06317 (ATV, HDWS)		
RTV-X900 RTV-X1100 RTV-X1120 RTV-X1140 RTV-XG850	25 x 10-12 ATV 25 x 10-12 HDWS 25 x 12-12 TURF 25 x 11-12 ATV	77700-06317 (ATV, HDWS) 77700-07843 (TURF)		

### Alpha Trax Tire Chains

Handle the snow and ice with the next generation traction device!

- For light trucks and SUV's
- Superior alternative to cable products
- Easy installation rubber adjusters included
- Supports sustained use on snow, ice and bare roads
- Meets SAE Class S wheel well clearance requirements



		Tire S	izes			Weight Per Pair	Import Item No.
P235/75R15	215/85R16LT	29X9.5-16	235/65R17	235/60R18	255/45R19	5	77700-12928
235/70R15LT	225/75R16LT	8.75-16.5LT	205/75R17.5	245/55R18	275/40ZR19	]	
245/70R15LT	235/65R16LT	P215/70R17	215/70R17.5	265/45R18	245/45R20		
245/75R15LT	235/70R16LT	P225/70R17	215/75R17.5	225/55R19	255/45R20		
275/60R15LT	245/65R16	P245/60R17	225/55R18	235/50R19	265/40R20		
29X9.50-15	255/60R16	P255/55R17	225/60R18	235/55R19			
215/80R16LT	265/60R16LT	225/75R17LT	235/55R18	245/50R19			
P255/70R15	255/65R16LT	P245/65R17	235/70R17.5	285/45R18	235/55R20	6	77700-12929
245/85R15LT	255/70R16LT	P255/65R17	P295/45R18	285/50R18	245/50R20	1	
255/75R15LT	265/65R16	215/80R17	225/65R18	225/60R19	255/50R20		
265/70R15LT	285/60R16LT	245/70R17LT	225/70R18	245/55R19	265/45R20		
30X9.50-15LT	9.50-16.5LT	255/60R17	235/65R18	255/50R19	275/40R20		
225/85R16LT	10-16.5LT	265/55R17	245/60R18	255/55R19	295/40R20		
235/75R16LT	30X9.5-16.5	265/60R17	255/55R18	275/50R19	265/45R21		
245/70R16LT	P235/70R17	275/50R17	265/55R18	285/45R19	265/45R22		
245/75R16LT	P235/75R17	225/75R17.5	275/45R18	225/55R20		1	
265/75R15LT	235/85R16LT	P265/65R17	235/75R17.5	275/55R18	285/45R20	6	77700-12930
31X9.50R15	265/70R16LT	P275/60R17	245/70R17.5	265/50R19	305/45R20		
31X10.5-15LT	275/60R16LT	225/80R17	245/75R17.5	275/45R19	285/45R21	]	
32X9.5-15	275/65R16LT	235/85R17	P265/60R18	245/60R20	245/45R22		
7.50-16LT	295/65R16	245/75R17LT	235/70R18	275/45R20	285/40R22		
235/80R16	31X10.5-16.5LT	275/55R17	255/60R18	285/40R20		1	
275/75R15	255/75R16LT	235/80R17	255/65R18	8-19.5	275/50R20	6	77700-12931
285/70R15	265/75R16LT	265/70R17LT	255/70R18	215/75R19.5	295/45R20		
285/75R15	265/80R16LT	275/65R17	285/55R18	225/70R19.5	255/50R21		
325/60R15	275/70R16LT	285/60R17	305/55R18	225/75R19.5	275/45R21		
31X11.5-15LT	275/75R16	285/65R17	P255/60R19	235/70R19.5	295/40R21	1	
32X11.5-15LT	285/65R16	P265/65R18	255/65R19	225/75R20	275/45R22		
33X10.5X15	31X11.5-16.5	P275/60R18	275/55R19	255/55R20		]	
245/85R16LT	P255/70R17	245/70R18	285/55R19	265/50R20			
295/70R15	315/70R16	305/65R17	285/60R18	265/60R20	285/45R22	6	77700-12932
33X9.50-15LT	12-16.5LT	345/55R17	285/65R18	275/55R20	305/40R22	1	
255/85R16LT	P255/75R17	245/75R18	295/60R18	275/60R20	305/40R23	]	
285/70R16LT	265/75R17	265/70R18	245/70R19.5	295/50R20		1	
285/75R16LT	275/70R17	275/65R18	P285/50R20	325/50R20			



### TIRE CHAINS

#### **Duo GripTractor Chains**

- Features H-pattern cross chains which keep the chain on top of the tire
- Heavy duty 3/8" case hardened cross chain
- For off-road use only
- Shipped in pairs




#### Roadmaster Tractor Chains

- Suitable for off-road or over-the-road use
- Built to
- NACM specifications
- Shipped in pairs



					ALC: NO.	100 C 1000							1595661		
		Tire Sizes			Weight Per Pair	Domestic Item No.	Import Item No.			Tire Sizes			Weight Per Pair	Domestic Item No.	Import Item No.
9.5-24	9.5-28	11.2-24			110	77700-99830	77700-99853	9.5-16	10-16.5	260/70R16			53	77700-99876	77700-99897
9.5-32	11.2-28	230/95R32	355/80R20		124	77700-99831	77700-99854	8.3-24	10.5/80-18	12-16.5	280/70R20	300/70R20	62	77700-99877	77700-99898
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	88	77700-99832	77700-99855	315/75D15					02	///00-998//	11100-99898
12.4-24					130	77700-99833	77700-99856	7.2-24	9.5-24	12.5/80-18			70	77700-99878	77700-99899
9.5-36	9.5-38	11.2-32	12.4-28		143	77700-99834	77700-99857	9.5-28	11.2-24	15-19.5	340/80R18	355/80R20	02	77700 00070	77700 00000
13.9-36	320/85R34				150	77700-99835	77700-99858	360/70R20	380/70R20				82	77700-99879	77700-99900
13.6-24	13.6-26	14.9-24			141	77700-99836	77700-99859	41x14.00-20	320/70R24				91	77700-99880	77700-99901
14.9-26					156	77700-99837	77700-99860	9.5-32	11.2-28	12.4-24	12.4-28	230/95R32	05	77700 00001	77700 00002
14.9-28	14.9-30				173	77700-99838	77700-99861	320/85R24					95	77700-99881	77700-99902
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	160	77700-99839	77700-99862	230/95R36					105	77700-99882	77700-99903
14.9-38	15.5-38	320/90R46			194	77700-99840	77700-99863	13.6-16	14-17.5				76	77700-99883	77700-99904
17.5-24	17.5L-24				135	77700-99841	77700-99864	13.6-24	13.6-26	380/70R24			106	77700-99884	77700-99905
16.9-26	16.9-28	420/85R28			169	77700-99842	77700-99865	13.6-28	14.9-24	360/70R28			105	77700-99885	77700-99906
16.9-32					184	77700-99843	77700-99866	14.9-26	14.9-28				120	77700-99886	77700-99907
16.9-34	230/95R44				200	77700-99844	77700-99867	16.9-24	17.5-24	17.5L-24	320/85R38		123	77700-99887	77700-99908
18.4-16.1	21.5L-16.1				132	77700-99845	77700-99868	14.9-30	16.9-26	16.9-28	420/85R28		130	77700-99888	77700-99909
18.4-24	19.5L-24				171	77700-99846	77700-99869	380/85R34					142	77700-99889	77700-99910
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	188	77700-99847	77700-99870	15.5-38	16.9-34				150	77700-99890	77700-99911
550/65R25	600/65R28				100	11100-33041	11100-33010	18.4-24	18.4-26	19.5L-24			167	77700-99891	77700-99912
18.4-34	480/85R34	600/65R25			206	77700-99848	77700-99871	18.4-28	540/65R30	550/65R25			181	77700-99892	77700-99913
16.9-38	18.4-38	20.8-34	380/90R50	420/80R46	226	77700-99849	77700-99872	16.9-30	18.4-30	21L-24			191	77700-99893	77700-99914
460/85R34	480/80R38				220	11100-99049	11100-99012	18.4-34	600/65R25				205	77700-99894	77700-99915
18.4-42	18.4-46	380/90R54	480/80R46		221	77700-99850	77700-99873	18.4-38					217	77700-99895	77700-99916
20.8-38					259	77700-99851	77700-99874	14.9-46	18.4-42	420/80R46			250	77700-99896	77700-99917
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32	252	77700-99852	77700-99875								



#### **Alloy Skid Steer Tire Chains**

- Heavy duty tire chains have been engineered specifically for use on Skid Steers in harsh conditions
  - Provide excellent traction in both snow and mud and are built for durability
  - 8mm square link alloy cross chains, shipped in pairs
  - Wear bars on cross links for added durability and traction

Item No.	Tire Size	Weight Per Pair	Pair Per Drum/Crate
77700-09739	10-16.5	92 lbs.	1 / Drum
77700-09740	12-16.5	114 lbs. ea	1 / Crate
77700-09741	14-17.5	134 lbs. ea	1 / Crate

### TIRE CHAINS

#### Grader and Equipment Chains

- Designed for plows, graders and loaders
- Heavy duty, twist link cross chain built to NACM specifications
- Shipped in pairs



#### Garden Tractor Chains— 2 Link Spacing

• Constructed with double the cross chain for extra traction and durability

10.25 X 3.25

Tire Sizes

10 X 3.50

• Shipped in pairs

10/10.5 X 2.75

12 X 3



Weight Per Pair

3

4

Import Item No.

77700-99934

77700-99935

				A line of the			
		Tire Sizes		Weight Per Pair	Domestic Item No.	Import Item No.	
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	107	77700-99918	77700-99926
14.00-24	14.00-25				123	77700-99919	77700-99927
16.00-20	16.00-21	17.5-25			166	77700-99920	77700-99928
16.00-24	16.00-25				189	77700-99921	77700-99929
20.5-25					202	77700-99922	77700-99930
18.00-24	18.00-25	18.00-26			211	77700-99923	77700-99931
23.5-25					365	77700-99924	77700-99932
26.5-25	30.5R32	710/70R38	755/70R25	800/65R32	447	77700-99925	77700-99933



#### Lawn Tractor Tire Chains

• Shipped in pairs

Kubota	Tire Size	Item No.
T2380 Lawn Tractor	22 x 11 x 10 Turf Tire	77700-07842

				-	
4.10/3.50 X 4	3.40/3.00 X 5			3	77700-99936
4.10/3.50 X 5	4.10/3.50 X 6	12 X 3.50 X 6	12.25 X 3.50 X 6	4	77700-99937
5.30/4.50 X 6				7	77700-99938
13 X 5 X 6				6	77700-99939
4.00/4.80 X 8				11	77700-99940
5.00/5.70 X 8				16	77700-99941
16 X 6.50 X 8	15 X 6.00 X 6			12	77700-99942
18 X 6.50 X 8				14	77700-99943
18 X 8.50 X 8				15	77700-99944
18 X 9.50 X 8				16	77700-99945
20 X 10 X 8	20 X 10 X 10			20	77700-99946
20 X 8.00 X 10	20 X 8 X 8			19	77700-99947
6 X 12	23 X 7.50 X 12			19	77700-99948
8 X 12	23 X 8.50 X 12			22	77700-99949
12 X 12	26 X 12 X 12	27 X 12 X 12		30	77700-99950
23 X 9.50 X 12	23 X 10.50 X 12			25	77700-99951
24 X 12 X 12				25	77700-99952
8 X 15	25 X 8.5 X 14	27 X 8.50 X 15		28	77700-99953
29 X 12 X 15				64	77700-99954
12.4-16	31 X 15.5 X 15	33 X 12.5 X 15		109	77700-99955
8 X 16				33	77700-99956
22 X 11 X 10				20	77700-07842

**OW CHAINS** 

#### **G70 Transport Tow Chains**

• Preferred choice for load binding applications • DOT approved for most applications

**Kubota** 

• Easily recognized gold finish

• Never exceed working load limits

		1.	level exceed wor	king loud inni		
Item No.	Chain Size	Length	Working Load Limit	Pieces per Drum	Misc. Info.	
77700-99958	1/4"	14'	3,150 lbs.	10		
77700-99959		20'		25		
77700-99960		20'		10		
77700-99961		16'		25		
77700-99962	5/16"	16'	4,700 lbs.	10		
77700-99963		14'		25		Mall Mall
77700-99964		14'		15		
77700-08618		10'		50		
77700-99965		20'		20	Made in USA	
77700-99966		20'		10		$\mathbf{G}$
77700-99967		16'		25		
77700-99968	3/8"	16'	6,600 lbs.	10		
77700-99969		14'		25		Para
77700-99970		14'		10		C 1 C C C C C C C C C C C C C C C C C C
77700-08619		10'		40		SILL SUE ?
77700-07846	1/2"	20'	11,300 lbs.	10		A DECEMBER OF A
77700-07847	1/ 2	20'	11,500 105.	5		AND
77700-12933		20'		25		
77700-12935	5/16"	16'	4,700 lbs.	25	luon o uto d	A
77700-12934		14'		25	Imported— Available in	
77700-12936		20'		20	October 2022	
77700-12938	3/8"	16'	6,600 lbs.	25		
77700-12937		14'		25		-



#### **G70 Bulk Chain & Hooks**

- Transport chain with a higher strength to weight ratio
- Electronically welded and heat treated for stronger chain
- Easily recognized gold finish

Item No.	Chain Size	Length	Working Load Limit
77700-99978	1/4"	135'	3,150 lbs.
77700-99979	5/16"	275'	4,700 lbs.
77700-99980	3/8"	200'	6,600 lbs.



#### **G43 High Test Tow Chains**

- Low carbon steel ideal for most tie down applications
- Never exceed working load limits

ltem No.	Chain Size	Length	Working Load Limit	Pcs/Drum
77700-99971	7/01	20'	F 400 lbs	20
77700-99972	3/8"	14′	5,400 lbs.	25

#### G80 T-Grab Hook

- T Hooks are specifically made to be inserted into slots in the trailer or equipment being tied down
- They are rated to match the size tow chain being used as the tie down

Item No.	Chain Size	Working Load Limit	<b>Pieces per Carton</b>
77700-09738	3/8"	7,100 lbs.	4



#### G70 Weld-On Grab Hook

• These hooks are rated for Grade 70 Chain, 5/16" or 3/8"

77700-99957

- For use in pulling, towing, or dragging heavy objects, not to exceed the rated capacity of the bucket or equipment being used or the hook
- Designed for use with chain, can also be used with a rope or tow strap
- Not to be used for overhead lifting

Item No.	Chain Size	Working Load Limit	Pieces per Carton
77700-07844	5/16"	4,700 lbs.	4
77700-07845	3/8"	6,600 lbs.	4



#### **G70 Hooks**

ltem No.	Chain Size		Pieces Per Carton	Weight Per Carton	To l
77700-99981	1/4"	3,150 lbs.	10	5 lbs.	Contr
77700-99982	5/16"	4,700 lbs.	10	8 lbs.	
77700-99983	3/8"	6,600 lbs.	10	14 lbs.	



#### **Ratchet Binders**

ltem No.	Chain Rating (size/ grade)	Working Load Limit	Weight
77700-99975	3/8" (G7)-1/2" (G4)	9,200 lbs.	13.5 lbs.
77700-99976	5/16" (G7)-3/8" (G4)	5,400 lbs.	12.5 lbs.
77700-99977	1/4" (G7)	3,150 lbs.	3.5 lbs.
77700-07848	1/2" (G7)-5/8" (G4)	13,000 lbs.	16 lbs.

#### **Lever Binders**

ltem No.	Chain Rating (size/grade)	Working Load Limit	Weight
77700-99973	5/16" (G7)-3/8" (G4)	5,400 lbs.	7.5 lbs.
77700-99974	3/8" (G7)-1/2" (G4)	9,200 lbs.	13 lbs.



### LIFT EQUIPMENT

#### **Heavy Duty Mower & ATV Lift**

Kubota

#### 77700-12962

- Designed to lift any riding mower, lawn tractor or zero-turn mowers
- Ideal for blade sharpening, belt replacement, and debris removal
- Safer and more convenient than car ramps or blocks
- The screw jack and safety-lock pin system prevents the machine from slipping or becoming upstable while performing rel
- from slipping or becoming unstable while performing repair and maintenance
- Can be raised with a drill and can be folded flat for storage
- Lifting capacity: 750 lbs (lifting front end only, not total weight of mower)
- Lifting height: 25"
- Wheel span measurement: 31.5" 62.5" outside front wheel measurement







#### **10 Ton Jack Stand** 77700-03506

- Medium lift pin-style jack stand
- Base size: 16" x 16"
- Min. height: 18-5/8" / Max. height: 30-1/2"

#### **Bottle Jacks**

- Offers the easiest accessible pumping system
- Unique cross-type forged release valve assures positive control
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Item No.	Capacity	Base Size (L x W)	Min. Height	Max. Height
77700-13402	4 Ton	4-3/4" x 4-3/4"	7-7/16"	14-13/16"
77700-03503	12 Ton	7" x 4-1/2"	9-1/16"	18-5/16"
77700-13403	20 Ton	6-3/4" x 7-1/8"	9-7/16"	17-11/16"

#### **Magic Lift Service Jacks**

- Offers quicker lift for professional performance
- Heavy gauge, steel construction helps prevent distortion and twisting
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Item No.	Capacity	Jack Size (L x W x H)	Min./Max Height	Saddle Diameter
77700-13404	3 Ton	29-1/8" x 15-3/8" x 7-7/8"	5-1/4" / 18-1/4"	4-3/16"
77700-03671	10 Ton	55-7/8" x 19-5/8" x 9-5/8"	6-7/8" / 27"	6-1/2"



### PORTABLE WORKLIGHTS

#### Rechargeable Folding Worklight 77700-13396



- Features 2 LED light heads can be used separately or together for maximum illumination
- Provides high quality and uniform lighting up to 1000 lumens
- Durable, 360° swivel handle also functions as a convenient stand
- Handle includes strong holding magnetic edge
- 3.7V 5000 mAh battery can be used as power bank



#### AC Powered Foldable Worklight - 4,000 Lumens 77700-13397

- This LED light can produce up to 4000 lumens of brightness
- This portable worklight features 2 brightness modes
- Unique 3-head design features two adjustable side lights with vertical and horizontal rotation, center light can be adjusted with vertical rotation
- Includes 15' power cord
- Convenient and rugged, free-standing base

#### Heavy Duty LED Magnetic Worklight 77700-09772

- Dual color light white & amber
- Three LED's of 3 watts each, total of 500 lumens
- 5 Volt USB charging cable
- IP 65 Rating
- Includes 3.7V 6600 mAh battery



#### 270° Swiveling Worklight with Magnetic Base

- Multiple working modes high intensity, low intensity & SOS flashing
- Six LED's of 3 watts each, total of 1000 lumens
- IP 65 Rated protecting against dust and effects of low pressure water jets from any direction
- Corrosion resistant aluminum die cast construction in premium powder coated finish
- Includes 3.7V 6600 mAh battery





### PORTABLE WORKLIGHTS

### Underhood Light with Magnetic Ends

77700-12953



- Slim & compact 10W COB underhood light, shines brighter & lasts longer
- Single button, user controlled light output (400-1,000 lumen)
- Sturdy Construction Impact resistant ABS body built to withstand the toughest environments and 360° swiveling hooks resist wear and provide a scratchproof grip
- Hands Free Operation Strong magnets on both ends for easy attachment on any metallic surface leaving both hands free
- Charging of Battery Type-C fast charging protected by rubberized bezel
- Includes 7.4V 2600 mAh battery

#### Waterproof Spotlight 77700-12954

- 7W LED handheld worklight
- featuring 700 Lumens
- Multiple working modes - high intensity, low intensity, SOS flashing, & red flashing
- IP 67 Rated
- Designed to float -Shock-proof & lightweight ABS body, rubber head & ergonomic TPR grip
- Charging of Battery -Dual charging via AC supply and 12V accessory outlet
- Includes 3.7V 2200mAh battery

### **PORTABLE WORKLIGHTS & FLASHLIGHT**

Kubata



#### Headlamp – Wide Beam Floodlight & Spotlight 77700-12839

- 350 Lumens 230° Coverage
- Multiple-mode COB Floodlight and LED Spotlight up to 150'
- Built-in sensor for hands-free use
- Durable comfort stretch headband
- USB-C fast charging protected by a rubber bezel

#### LED Flex-Flashlight 77700-08995

- Strong holding
- magnet and foldable hook for hands-free use
- Convenient pocket size
- 200 lumen ultra bright COB technology
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



#### LED Pocket Pen Flashlight 77700-06342

- Generates 90 lumens of light
- 1 watt LED bulb
- Convenient pocket clip and durable aluminum chassis
- Includes 2 AAA batteries
- Dimensions: 1/2" diameter, 5.5" length
- Shock proof and drop test resistant

### Slim Worklight 360° Swivel

- Super slim worklight for tight, cluttered and difficult to reach workspaces
- Adjust light intensity from 0-600 lumen by rotating knob
- Integrated 6W COB worklight and 1W top torch
- **Sturdy Construction** Protected against dust and effects of water spray from any direction and impact-proof ABS body
- Sturdy polycarbonate lens to withstand the toughest of job site conditions

#### **Worklight: UV & Dual Charging**

77700-12952

- Multifunction, powerful worklight & UV spotlight in one
- Integrated 10W COB worklight and 3W UV light
- Sturdy Construction Impact proof ABS body with rubber coating and nylon hook with 360° rotating action
- **Power-Up** Convenient docking station for fast recharging
- Hands Free Operation Strong magnet on the base to mount light onto any metallic surface for hands free use

#### Multi-Functional Rechargeable Flashlight 77700-10784

- Powerful 600 lumens, brightness can be adjusted
- Built-in USB charger
- Features magnets on clip and base
- Hands-free with 360° rotating hook and 180° swivel stand
- LED display shows percentage of battery remaining
- Water and dust proof rating IP44





### HOSE WRAPS

#### Anaconda Wrap

#### 77700-13391

- Easy installation no tools required
- Diameter: 1-1/4"
- Length 10 ft



NEW

NEW

#### Hose Tamer Wrap

- 77700-13393
- Hose Tamer is the answer to messy and unruly hoses.
- Can stretch to fit up to 12 hoses
- Each Hose Tamer is lasered with a number to help identify hose bundles, groups or pairs more easily
- Withstands temperatures from -60° F to 212° F
- Durable polyethylene won't crack or fade as the color is part of the molding process
- Not affected by grease, oil or dirt, cleanup with any solvent or soap
- No tools required, easily changed to suit the operator

NEW

- Diameter: 1-1/2"
- Length 18"

#### Python Wrap

#### 77700-13395

- Conveniently bundles and contains hoses, wires, cables and cords
- Easy installation, no tools required
- Diameter: 13/16"
- Length 15 ft



#### Constrictor Wrap 77700-13392

- Constrictor Wrap bundles and contains hoses, wires, cables, and cords
- Ideal for farm, home, office or business
- Easy installation no tools required
- Diameter: 5/8"
- Length 20 ft







#### Hydraulic Wrap Hose Markers 77700-13394

- Ideal hose tag identification system for use on farm/ag equipment
- A & B lasered into the wrap to give left and right, or above and below indicators, and they are different lengths to provide additional visual aid
- Can withstand temperatures to -60° F to 212° F
- Durable polyethylene won't crack or fade as the color is part of the molding process
- Not affected by grease, oil or dirt, clean-up with any solvent or soap.
- No tools required, easily changed to suit the operator.
- Each package contains (8) Hydraulic Hose Markers, for remotes 1 to 4 (green, blue, brown and black).
- Fits diameters 1/4" to 1-1/2"




### SHOP PRODUCTS



#### Mountable Shop Towel Bucket 77700-02460 Refill 77700-03672

- Exclusive optional dispenser mount
- Easily carried for remote use and can also be placed into the wall mount for both local usage and storage
- 200 count, 10" x 13" each (180 sq. ft. total)
- Refill features water resistant packaging with peel and reseal top and cardboard dispensing disk



#### Air Comb<sup>®</sup> Filter and Radiator Cleaners

12" 77700-06205 24" 77700-03394 36" 77700-03395



efficient air flow

- Flush 90° multi-port air flow
- Delivers 5X the air volume
- 1/4" NPT air inlet
- Access hard-to-reach areas
- Fits between radiator and condenser
- Safe on all air filters

#### Air Bender™ Blow Gun

- An intuitive and safe design for reaching hard-to-access areas with a focused, high-pressure, 90° angle output
- Allows blow back to be away from your face
- Ideal for blowing out channels, ports, or reaching around obstructions
- Tube material: Anodized Aluminum

ltem No.	Max. Output		Overall Length		Tube Diameter
77700-12156	120 PSI	1/4" NPT	10-5/8″	7"	3/8"

#### Blue Shop Towels 6 Pack 77700-13489

- Helps hide grease and grime better than white towels allowing for longer use
- Made with 40 percent post consumer recycled fibers
- Meets the EPA comprehensive procurement guidelines and also provide opportunities to earn credits in several LEED-EB (Existing Building) operation and maintenance categories
- Ideal for general shop or industrial applications
- Made in the USA
- 36" Heavy Duty Grabber Tool 77700-09780
- Ergonomic handle with safety lock
- Steel frame with ABS reinforced material
- Adjustable jaw width & strong holding ABS teeth
- Removable suction cups allow for use with smooth or hard surface items







**Hose Wraps & Shop Products** 

#### **Blow Guns**

24" 77700-03392 48" 77700-03393

- Zinc-alloy body with satin finish
- Aluminum nozzle with durable oxidized finish
- 1/4" NPT air inlet
- 90 PSI working pressure / 150 PSI maximum working pressure
- Convenient angle design for hard-to-reach areas

#### 77700-08593 (Metric)



#### Bolt Gauges Metric 77700-08593 SAE 77700-08594

77700-08594 (SAE)

• Convenient gauges to accurately measure the diameter, length and thread pitch of your fasteners



### HAND TOOLS

#### **Stockman Knife**

77700-12829

- Stainless steel blades and bolsters
- Includes Clip, Spey and Sheepfoot blades
- Rugged Delrin handle with jigged texture

#### **Drive Chain Knife**

#### 77700-12830

- Stainless steel 3-1/4" blade with satin stone finish
- Easy assist open/close
- Sure-arip G10 textured handle
- Convenient pocket clip
- Safety lock
- 4" closed length





#### **Tactical Knife** 77700-12831

- 3" D2 steel blade with stone washed finish
- Ball bearing pivot system
- Sure-grip G10 textured handle with accent trim
- Convenient pocket clip
- Liner Lock
- 4" closed length



#### Multi-Purpose Pocket Knife 77700-12832

- Stainless steel 3-1/2" blade with serrated edge
- Ball bearing pivot system
- Sure-grip G10 textured handle
- Convenient pocket clip
- Liner lock
- 4" closed length

#### **Deluxe Tactical Knife**

77700-12833

- 3-1/4" satin finish D2 steel blade
- Ball bearing pivot system
- Sure-grip G10 textured
- handle with accent trim Stainless steel bolster
- Reversible pocket clip
- 4" closed length



#### 8-in-1 Rancher's **Multi-Tool Knife** 77700-12834

- 2" stainless steel, black oxide coated blade
- Spring-loaded lockable pliers
- Wire cutter and adjustable wrench
- #1 flat head bit, #1 phillips bit, #2 flat head bit
- Convenient pocket clip
- 4-3/4" closed length






- Retractable **Utility Knife** 77700-02485
- Quick change blade mechanism

 Smooth retracting/locking blade advance

Includes three replacement blades



- **Folding Knife** 77700-02482
- Closed: 3.9" Open: 6.3"
- Stainless steel blade





### HAND TOOLS

#### 12" Adjustable Wrench

#### 77700-09004

- Versatile, large jaw capacity up to 1-11/32" (34mm)
- Durable chrome molybdenum alloy steel
- Steel jaws hold their grip
- Adjustable thumb wheel accommodates standard or metric sizes

#### Pliers

- Zinc plated construction resists corrosion
- Drop forged and heat treated for strength and durability

Item No.	Description
77700-04741	6-1/2" Slip Joint Pliers
77700-04742	8" Slip Joint Pliers
77700-04743	10" Adjustable Pliers
77700-04745	8'' Leather Plier Holder



77700- 77700- 77700- 77700-04741 04743 04742 04745

### Telescoping Magnetic Pickup Tool

- 77700-02479
- Telescopes from 6-1/2" to 33"
- Powerful 5 lb. magnet features shielded sides for targeted pickups



#### 25' Dual Rule Tape Measure 77700-02481

- Tough, impact resistant plastic case
- Easy-to-read tape markings in inches and centimeters
- Hands-free blade lock

#### **14" x 6-1/4" Magnetic Tray** 77700-03677

- Corrosion resistant stainless steel tray
- 3 powerful permanent magnets



#### **Magnetic Parts Tray**

#### 77700-02476

- 4-1/4" corrosion resistant stainless steel dish
- Rubber covered magnetic base



#### Stainless Steel Scraper

#### 77700-02478

- Rigid stainless steel go-thru blade with metal capped handle for strength and durability
- Comfortable TPR handle for maximum grip

#### 1/2" Drive x 30 mm Standard Socket

#### 77700-03678

- Meets and exceeds ANSI standards
- Fits most mower blade bolts
- Chrome vanadium

#### 1/2" Drive x 30 mm Heavy Duty Impact Socket 77700-03679

- Meets and exceeds ANSI standards
- Fits most mower blade bolts
- Black chrome molybdenum





### **TOWING HITCHES & KITS**

#### **Heavy Duty Multi-Purpose** 2" Hitch with Ball Mount 77700-10702

- Universal designfits all 2" receivers
- 2" Ball mount
- Integrated tow hook • Clevis pin connector
- Durable powder coated steel construction
- Ball with 3.5" of rise for optimal towing height
- Hitch pin included



### Heavy Duty Adjustable 2" Hitch with Ball Mount 77700-10703

- Universal design-
- fits all 2" receivers
- 2" Ball mount
- Integrated tow hook
- Clevis pin connector
- Durable powder coated steel construction
- Ball with 3.5" of rise and over 3.5" of vertical adjustment
- Adjusts to keep trailer tongue at optimal height
- Make height adjustments quickly and easily with (2) included pins

#### **Tow Recovery Kit**

#### 77700-12961

- Keep all your gear organized and tangle free
- Tow Recovery Kit will safely and guickly get your equipment where it needs to go
- Assembled by experts to cover your towing needs
  - Heavy duty tow kit up to 5,000 lb tow capacity
  - Protect your valuable equipment
  - Great for rescuing stranded vehicles
  - Heavy duty storage bag



### **TOWING KITS & DIAGNOSTIC TOOLS**

Application

Light and medium duty truck. RV and trailer

Medium duty truck, SUV and trailer

Heavy duty tractor and trailer Cars and trucks, agricultural, industrial, landscaping,

contracting, sporting, and fleet connections

#### **Towing Kits**

Item No.

77700-03673

77700-03674

77700-03675

77700-03881

- Quickly test, clean and repair truck and trailer connectors
- Extends the life of the harnesses

**Pin Style** 

6 Round

7 Flat (Spade)

7 Round

4/5 Pin

- Promotes safety and limits road hazards
- Cleaning tools remove corrosion and re-size terminals to proper dimensions
- Includes cleaner/re-sizer, DeoxIT<sup>\*</sup> Restore/Enhance and harness tester

1			
Bente	6	1	

77700-03673



77700-03675

77700-03674

77700-03881



#### 4/5 Pin Harness Checker 77700-02457

- Great for tracking truck and trailer lighting functions
  - Each LED light corresponds to the circuit being energized
  - Plugs in-line with truck and trailer
- Easy to connect ground terminal for trailer lighting setup



#### 7 Flat Pin Circuit Tester 77700-02458

- Quickly tests and troubleshoots truck and trailer electrical circuits and connectors
- Plugs into truck side trailer harness
- LED lights indicate each circuit is complete and the current is getting to the plug



#### Heat Shrink Tube Kit 77700-09003

- 171 pieces
- 2:1 shrink ratio
- UL approved polyolefin heat shrink tubes
- Operating temp.: -67°F to 257°F
- Shrink temp: starts at 158°F ends at 230°F
- Maximum electrical rating: 600 volts



### **TIRE KIT, INFLATOR & GAUGES**

#### **Tire Recovery Kit**

77700-12960

- Essential road repair kit will fix all your vehicle tire emergencies and get you back on the road again
- Heavy duty tool bag keeps all your essentials together and easy to find
- Breakdowns happen, be prepared with this Tire Recovery Kit and you will have less downtime in productivity



Heavy Duty Tire

77700-08991

Fully geared

• 0-60 PSI

to reach valve stems

brass movement

• 10" extension hose for tough

**Pressure Gauge** 

 Steel case with polished brass bezel and 2" dial



#### **Cordless Tire Inflator** 77700-12849

- Inflates up to 150 PSI
- Measures tire pressure
- Auto cut-off when set pressure is reached
- ABS body with digital gauge: shows pressure in PSI, BAR, kPa
- Top LED light
- USB-C fast charging
- Portable, battery operated, rechargeable and fits in glove box

#### Pencil **Tire Gauge** 77700-02468

- For use with air service only
- Reads from 5 to 75 PSI
- Easy-to-read, four sided nylon scale is in 2 PSI increments

#### **Dial Tire Gauges**

- Steel case with polished brass bezel and 2" dial
- Full geared, precision movement with bronze bourdon tube
- Not affected by changes in temperature, humidity or altitude



ltem No.	PSI Range
77700-03676	0-30
77700-02469	0-100

### SAFETY PRODUCTS

#### **ABC Fire Extinguishers**

- Specially formulated ammonium phosphate-base dry chemical extinguishers may be effectively used to combat Class A and Class B fires as well as having a Class C listing
- Allows use in the presence of energized electrical equipment
- Designed and engineered to the highest-quality standards
- Meets DOT, Coast Guard and OSHA requirements
- Operating temperature: -65° F to 120° F
- Operating range: 2-1/2 lb. (9 to 15 ft.), 5 lb. (12 to 18 ft.), 10 and 20 lb. (15 to 21 ft.) - minimum distance of 8 ft. is most effective and prevents spreading of burning material
- Discharge time (minimums): 2-1/2 lb. size (10 seconds), 5 lb. size (14 seconds), 10 lb. size (20 seconds) and 20 lb. size (30 seconds)

ltem No.	Description
77700-10084	2-1/2 lb. capacity - U/L Rating 1A-10B:C - Includes Vehicle Bracket
77700-10085	5 lb. capacity - U/L Rating 2A-10B:C - Includes Vehicle Bracket
77700-10086	10 lb. capacity - U/L Rating 4A-10B:C
77700-10090	20 lb. capacity - U/L Rating 20A-120B:C



### Water Fire Extinguisher

- The cooling, soaking and penetrating 30-45 foot stream and 50-second discharge time make it a very effective and operator-friendly extinguisher for use on Class A fires
- 2-1/2 gallon capacity -U/L Rating 2A
- Stainless steel storedpressure extinguisher
- Operating temperature: 40° F to 120° F
- Operating range: 45-55 ft.
- Operating time: 50 seconds

#### **Slow Moving Vehicle Signs**

- 14"H x 16"W, made with highintensity, micro-prismatic reflective and fluorescent materials
- ASAE (S276.6) approved and State of Illinois compliant
- Complete, easy to install hardware kit available for mounting (77700-03391—purchase separately)



#### **Mounting Brackets**

Item No.	Holding Capacity
77700-10087	10 lb.
77700-10089	20 lb. & 2-1/2 gallons

-	it cit
· · · ·	77700
	77700

Itom No.

	nem no.	Material	IIIICKIIE22
	77700-03388	Aluminum	.04"
	77700-03389	Plastic	.80″
	77700-03390	Adhesive	-
	77700-03391	Mounting Kit	-
ĺ		•	

Matorial

Thicknoss

### SAFETY PRODUCTS

FIRST AID

Kubota

#### Safety Kit

77700-12959

- Safety Kit provides easy access that can be carried to the job site
- Conveniently packaged with everything needed to keep you and your crew safe from noise, falling or flying objects, inattentive drivers, and accidents
- Ideal for home and on the road to protect your hearing, eyes, head, hands and body from accidents
- Heavy duty storage bag

#### **100 Piece First Aid Station Service Bays Cabinet** 77700-13491

Kubota

- Best used in manufacturing and heavy industrial sites
- Sturdy and heavy-duty in a durable, type I & II metal case
- Exceeds ANSI 2021 Class B standards to keep you OSHA compliant with essential first aid supplies
- First aid supplies are boxed for painless re-ordering and guick and easy identification during an emergency

#### Wheel Spinners

#### 77700-01540 Deluxe Wheel Spinner

Split base design for easy mounting

#### 77700-10674 Wheel Spinner

- Heavy duty spinner with ergonomic grip
- 12 piece display box
- Vinyl coating for lasting durability
- For effortless turning of tractors and other off-road equipment
- Clamp securely grips all wheels up to 1-1/4" thick
- Comfortable ergonomic handle with smooth spinning design

#### Hard Hats

77700-01540

77700-10674

- Unique, smooth crown protects from the danger of falling objects
- Convenient rear-located mechanism used to adjust the head size for comfort
- 360° removable, perforated and padded sweatband that keeps you cool
- SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C

Item No.	Description
77700-05367	Orange with CE imprint
77700-05374	Orange with Oval K logo





#### **First Aid Kit** 77700-02459

- 57-piece kit
- Rust-proof, durable polypropylene case
- Fits in vehicle glove box or can easily be wall-mounted
- Inner gasket seals out moisture so contents stav dry and ready to use



#### **High-Intensity** Warning Strobe 77700-05375

- High-intensity flash is visible for over one mile in clear conditions
- Flashes 70 times per minute with 300 candelas of brightness
- Dimensions: 5-1/4" tall, 4" diameter base
- Lanyard allows it to be carried like a lantern
- Two standard D batteries (not included) deliver 48 hours of continuous flashing





NEW

FIRST AID



### SAFETY PRODUCTS

#### Type R Class 2 Mesh Safety Vest with Two-Tone Trim

- Reflective stripes on contrasting trim make workers much more noticeable in low light and broad daylight
- 2" Silver tape reflective material
- Pockets: One upper left front and one lower right inside
- Material: 100% polyester mesh
- Color: Hi-Vis Orange
- Meets ANSI/ISEA 107 standards

ltem No.	Size
77700-12148	Small/Medium
77700-12149	Large/X-Large
77700-12150	2X-Large/3X-Large

#### Kubota Safety Eyewear

- Fog and scratch resistant lenses
- TPR material increases its grip as it becomes moist to keep them on your face
- Tapered lenses eliminate refraction and block 99.9% of UVA/UVB/UVC rays



#### **Safety Vest Class 2**

- Hi-Vis Lime color, constructed from non-woven material
- Breathable, mesh vest features 2" 3M reflective tape, an inside pocket, 3 front snap closures and adjustable Velcro sides that accommodate changes in outerwear and for more flexible sizing



Kubota

10-Unit Eyewear Display 77700-04481 Eyewear sold separately

• Custom imprint available

Item No.	Size
77700-05376	Small/Medium
77700-05377	Large/X-Large
77700-05378	2X-Large/3X-Large

- Frames consist of a flexible and durable TR90/ Nylon compound material and wrap around with no side shield distortion
- Exceeds ANSI Z87.1+2012 safety standards
- 10-Unit Eyewear Display (77700-04481)

77700-04465

• Sold in package quantity of 3



77700-04462



77700-04466

77700-04470

///00-04402	///00-04400	///00-044/0	///00-04403
ltem No.	Lens	Frame	% Light Thru
77700-04461	Clear	Black	85%
77700-04462	Smoke	Black	16%
77700-04463	Clear	Gloss Black Nylon	65%
77700-04464	Aqua Precision Red Mirror	Gloss Black Nylon	13%
77700-04465	Smoke	Gloss Black Nylon	16%
77700-04466	Smoke	Gloss Black Nylon	16%
77700-04467	Polarized Aqua Precision Blue Mirror	Rubberized Matte Black Nylon	10%
77700-04468	Clear	*Polycarbonate Matte Black (Fits over existing eye wear)	85%
77700-04469	Smoke	*Polycarbonate Matte Black (Fits over existing eye wear)	16%
77700-04470	Copper	Camouflage Nylon	8%





### GLOVES

NEW

#### Premium Cowhide Leather Mechanics Gloves

- Water repellent leather resists soaking
- Cowhide leather is soft & durable
- Spandex back stretches for a great fit
- Neoprene knuckle for added protection
- Adjustable wrist closure

Item No.	Size
77700-13389	Large
77700-13390	X-Large



#### **Camouflage Gloves**

- Realtree Xtra<sup>®</sup> camouflage
- Silicone palms provide strong, sure grip
- Adjustable wrist closure
- Provides the ideal grip for shooting, hunting, material handling, boxes and tools
- Machine wash, air dry

ltem No.	Size
77700-12151	Medium
77700-12152	Large
77700-12153	X-Large
77700-12164	XX-Large


#### Suede Winter Lined Work Gloves

- · Genuine suede cowhide leather
- 3M Thinsulate lining keeps hands warm
- Shirred elastic back for a great fit
- Soft & durable leather
- Premium keystone thumb design

Item No.	Size
77700-02464	Large
77700-02465	X-Large



#### Waterproof Winter Lined Suede Cowhide Gloves 77700-13487 One size fits all



- Waterproof to protect hands from getting wet
- 3M Thinsulate lining keeps hands warm
- Safety cuff protect wrists
- Great for truckers, agriculture, tow drivers
- One Size Fits All



NEW

#### Mechanic's Gloves

- Durable synthetic leather palm
- Breathable formfitting spandex back
- Slip-on style cuff for easy on, easy off
- Comfortable shirred elastic on front and back
- Machine wash, air dry

Item No.

77700-03154

77700-03155

77700-03156

77700-03646





77700-03646

# Leather/Canvas Gloves

Size

Medium

Large

X-Large Women's Medium

#### 77700-02466

- Suede cowhide leather fingertips, palm and knuckle strap
- Elastic back and rubberized safety cuff
- One size fits all





### CIKON

#### **Heavy Duty Mechanic's Gloves**

- Reinforced palm patches for extra protection
- Silicone anti-slip fingertips for extra grip
- TPR back of finger protection against impact & pinches
- Adjustable wrist tab keeps out dirt

Item No.	Size
77700-07910	Medium
77700-07911	Large
77700-07912	X-Large



#### **Touchscreen Mechanic's Gloves**

- Touchscreen fingertips
- Durable palm is
- protective and long lasting
- Padded palm reduces fatigue
- Adjustable wrist tab keeps out dirt

Item No.	Size
77700-07907	Medium
77700-07908	Large
77700-07909	X-Large



3	& \ T	iter Lin Naterp ouchsc Gloves
	Meders.	• Wate brea keep

#### ned roof :reen

- erproof & thable lining os out moisture
- Touchscreen fingertips
- 3M Thinsulate lining keeps hands warm
- Durable palm is protective and long lasting

Item No.	Size
77700-07913	Large
77700-07914	X-Large

#### Item No. Size 77700-02461 Women's Medium 77700-02462 Men's Large 77700-02463 Men's X-Large

#### **Premium Water Repellent Leather** Work Gloves

- Water repellent leather resists soaking
- Leather is soft & durable
- Keystone thumb for added movement & comfort
- Elastic wrist for a great fit
- Our nicest & softest leather work gloves

#### Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH 5.5 technology made to match healthy skins natural pH 5.5 levels to ensure the most comfortable fit yet
  - Unique formulation reduces excess perspiration
  - Quadruple washed—no excess chemicals lingering on glove
  - Super strength and stretch no more tearing
- Fully textured grip

ltem No.	Description
77700-04747	Orange Lightning - Medium
77700-04771	Orange Lightning - Large
77700-04772	Orange Lightning - X-Large
77700-04773	Orange Lightning - XX-Large
77700-04746	Black Lightning - Medium
77700-04497	Black Lightning – Large
77700-04498	Black Lightning - X-Large
77700-04499	Black Lightning - XX-Large

57



### **BATTERY JUMPSTART**

#### GB250 - Boost® Max™ 5250 Amp UltraSafe Lithium-Ion Jump Starter 77700-12142

- Over 5250-amps of starting power, it can jump start gasoline and diesel engines up to 16-liters
- Safe and easy to use battery jump starter pack without the worry of incorrect connections or sparks
- Safely connect to any 12-volt battery with our mistake-proof design featuring spark-proof technology and reverse polarity protection
- Jump starts almost every type of vehicle and equipment, including semi-trucks (up to class 8), motorhomes, coaches, buses, mining, agricultural, construction, and vocational equipment—6, 8, 12, and 16 cylinder - and more!
- Integrated digital battery voltmeter for enhanced diagnostics
- Jump starters this powerful typically are enormous and weigh hundreds of pounds, but our high discharge lithium technology makes it the most compact and lightweight design in the world weighing a mere 15-pounds
- It's not just a lithium jump starter but also a portable power bank for recharging smartphones, tablets, and other USB devices, with an ultra-bright 600-lumen LED flashlight with seven light modes, including emergency strobe and SOS
- Includes: Lithium Battery Jump Starter, 56-Watt XGC Power Adapter, 12-Volt 2-Foot XGC Cable, Protective Carrying Case and User Guide & Warranty Information
- One year warranty





### BATTERY JUMPSTART

#### GB150 - Boost<sup>®</sup> Pro<sup>™</sup> 3000 Amp UltraSafe Lithium Jump Starter 77700-12140

- Compact, yet powerful lithium jump starter rated at 3,000 amps up to 80 jump starts on a single charge
- An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allows it to safely connect to any battery
- Ideal for a wide range of small vehicle applications to larger vehicles with 9.0L gas and 7.0L diesel engines
- Equipped with a built-in voltmeter that reads the voltage of the vehicle's battery for enhanced diagnostics and troubleshooting
- An ultra-bright 500 lumen LED flashlight with 7 light modes including SOS and emergency strobe
- Power 12V devices anywhere, like tire inflators, power inverters, and more
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more—up to 6 smartphone recharges
- Includes: Lithium Battery Jump Starter, XGC 12V Male Adapter, XGC 12V Female Adapter, XGC Extension Cable, Micro USB Cable, Microfiber Storage Bag and User Guide & Warranty Information
- One year warranty

#### **GB70 - Boost<sup>®</sup> HD<sup>™</sup> 2000 Amp UltraSafe Lithium Jump Starter** 77700-12138

- Compact, yet powerful lithium jump starter rated at 2,000 amps up to 40 jump starts on a single charge
- An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allows it to safely connect to any 12V battery
- An ultra-bright 400 lumen LED flashlight with 7 light modes including SOS and emergency strobe
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more up to 6 smartphone recharges
- Power 12V devices anywhere, like tire inflators, power inverters, and more
- Designed for gas engines up to 8 liters and diesel engines up to 6 liters for cars, SUVs, trucks, boats, RVs, and more
- Includes: Lithium Battery Jump Starter, XGC 12V Male Adapter, XGC 12V Female Adapter, XGC Extension Cable, Micro USB Cable, Microfiber Storage Bag and User Guide & Warranty Information
- One year warranty





#### Boost<sup>®</sup> Pro<sup>™</sup> Protective Case 77700-12141

- Made of thermoformed EVA, the lightweight and durable molded exterior has a water resistant, rubber-like finish
- Heavy-duty reverse coil zipper with built-in reinforced handle and custom over-molded pull tab
- Boost insert molded tray interior with soft black melange velvet lining for secure fit
- Reinforced pockets for securely holding clamps, extensions or other accessories
- Case Fits GB150 (77700-12140)



#### Protective Case for Boost® HD™

77700-12139

- Lightweight, durable, and rugged custom exterior
- Equipped with a zipper closure and reinforced handle for storing and carrying Boost<sup>®</sup>
- Offers protection from moisture, impact, dust, and environmental factors
- Additional pockets
- Weather resistant (Do not submerge in water)
- Case Fits GB70 (77700-12138)

NOCO



### **BATTERY JUMPSTART**

#### GB40 - Boost® 1000 Amp UltraSafe Lithium Jump Starter 77700-12135

- Compact, yet powerful lithium jump starter rated at 1,000 Amps - up to 20 jump starts on a single charge
- An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allow it to safely connect to any battery
- An ultra-bright 100 lumen LED flashlight with 7 light modes, including SOS and emergency strobe
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more up to 4 smartphone recharges
- Designed for gas engines up to 6 Liters and diesel engines up to 3 Liters for cars, boats, lawn mowers and more
- Includes: Lithium Battery Jump Starter, Heavy-Duty Precision Battery Clamps, 12V Car Charger, Micro USB Cable, Microfiber Storage Bag and User Guide & Warranty Information
- One year warranty

**GB40** 



#### Protective Case for Boost® 1000 Amp Ultrasafe Lithium Jump Starter 77700-12136

- Lightweight, durable, and rugged custom exterior
- Equipped with a zipper closure and reinforced handle for storing and carrying Boost®
- Offers protection from moisture, impact, dust, and environmental factors
- Additional pockets
- Weather resistant (Do not submerge in water)
- Case Fits GB40 (77700-12135)

#### GBC007 - Boost® Eyelet Cable with X-Connect Adapter

NOCO BOOST PLUS

 $(\mathbf{P})$ 

#### 77700-12137

- Heavy-duty battery eyelet design for automotive, powersport, marine, RV, and truck applications
- Hard-mount the eyelets for quick and convenient charging or jump starting
- Lie-flat design for seamless installations with M6 (1/4-inch) hole size
- Made from durable, heat stabilized 8AWG silicone wire that maintains its flexibility in cold weather environments
- Designed to efficiently transfer maximum current flow with minimal power loss
- Compatible with Boost® 1000 Amp UltraSafe Lithium Jump Starter
- Attach the adapter for compatibility with GENIUS2 (77700-12160) and GENIUS10 (77700-12154)

12V 1000A



### BATTERY CHARGING

#### GENIUSPRO25 25-Amp Battery Charger, Battery Maintainer & Battery Desulfator 77700-12155

- 6-volt (50-amps), 12-volt (50-amps), and 24-volt (25-amps) for lead-acid automotive, marine, and deep-cycle batteries, including flooded, gel, AGM, and maintenance-free, plus lithium-ion
- Force Mode for extremely dead batteries lower than 1-volt, manually turn on force mode to detect and charge batteries all the way down to zero volts
- Safely charge any battery year-round
- Charge continuously without user intervention and with zero risk of overcharging your battery
- Featuring ultra-flexible silicone cabling, down to -40°C, with protective nylon breaded shielding for maximum protection against abrasion
- The new integrated thermal sensor automatically monitors and adjusts the charging cycle based on fluctuations of ambient temperature
- Avoids under-charging in cold weather down to -4°F and avoids over-charging in hot weather up to 122°F
- Charging modes: Lead-Acid, AGM, Lithium, Repair, Supply, Force, 5A Mode
- Advanced diagnostics: Standby, Bad Battery, High Voltage, Reverse Polarity, Temperature
- Includes: GENIUSPRO25 Battery Charger w/ Interchangeable Connectors, (1) Genius PRO Clamps w/ Integrated Eyelets, (1) 10' Extension Cord, (1) EVA Case, (2) Self-Tapping Screws, Type A, C, G, and I Power Cables and User Guide & Warranty Information
- Three year warranty







## **BATTERY CHARGING**

#### GENIUS10 10-Amp Battery Charger, Battery Maintainer & Battery Desulfator 77700-12154

- Plug-in, connect to the battery, select a charge mode, and start charging your battery
- Fully-automatic, worry-free battery charger for year-round use
- Designed for 6-volt and 12-volt lead-acid automotive, marine, and deep-cycle batteries, including flooded, gel, AGM, maintenance-free, and lithium-ion batteries
- Charge dead batteries as low as 1-volt or use the all-new Force Mode that allows you to take control and manually begin charging dead batteries down to zero volts
- Integrated thermal sensor detects the ambient temperature and alters the charge to eliminate over-charging in hot climates and under-charging in cold climates
- Built-in desulfation mode for the most corroded batteries
- Auto detection with smart diagnostic indicators starts a Repair Mode integrated within a 9-step charging profile
- Leave plugged in 24/7 with no worries of overcharging
- Automatically returns to its last selected mode
- Includes: GENIUS10 Battery Charger w/ Interchangeable Connector, Clamps w/ Integrated Eyelets (M10), Mounting Bracket w/ Strap, (2) Self-Tapping Screws and User Guide & Warranty Information
- Three year warranty





### **GENIUS10**

10A	230Ah	150W
CHARGING	BATTERY	OUTPUT
CURRENT.	CAPACITY.	POWER.

#### CHARGE MODES.



12V 12V 6V

#### TECH SPECS.

3.33 LBS 7.1"x 3.6"x 2.3"



### **BATTERY CHARGING & JUMPER CABLES**



### **GENIUS2**

2A	40Ah	30W
CHARGING	BATTERY	OUTPUT
CURRENT.	CAPACITY.	POWER.

#### CHARGE MODES.



#### TECH SPECS.

1.10 LBS 3.7"x 2.4"x 1.7"

#### **GENIUS2 2-Amp Battery Charger, Battery Maintainer & Battery Desulfator** 77700-12160

- Designed for 6-volt and 12-volt lead-acid automotive, marine, and deep-cycle batteries, including flooded, gel, AGM, and maintenance-free, plus lithium-ion batteries
- An integrated thermal sensor detects the ambient temperature and alters the charge to eliminate over-charging in hot climates and under-charging in cold climates
- Charges dead batteries as low as 1-volt or use the all-new Force Mode that allows you to take control and manually begin charging dead batteries down to zero volts
- Plug-in, connect to the battery, select a charge mode, and start charging your battery
- A fully-automatic, worry-free battery charger for year-round use
- Detects sulfation and acid stratification and restores lost performance for stronger engine starts and extended battery life
- Charge and maintain cars, motorcycles, lawn mowers, ATVs, tractors, trucks, SUVs, boats, classic cars, hot rods, and more!
- Includes: GENIUS2 Battery Charger w/ Interchangeable Connector, Clamps w/ Integrated Eyelets (M6), Mounting Bracket w/ Strap,
   (2) Self-Tapping Screws, User Guide & Warranty Information
- Three year warranty



#### GC009 - X-Connect SAE Adapter 77700-12161

- Convert X-Connect to SAE power adapters
  - Conveniently connect to any existing wiring connections
    - Perfect for connecting to other 12-volt devices
  - More ways to charge with plug-n-play accessory changes
  - Built-in fuse protection for increased safety
- Rugged, watertight connector for extreme environments
- Connect GENIUS to existing SAE— Compatible with GENIUS2 (77700-12160) and GENIUS10 (77700-12154)



genius 2

#### **Construction Grade Jumper Cables**

#### 77700-09781

- 25 ft x 1 GA
- Heavy duty, tangle-free booster cables
- Extra flexible for easy use
- Resists oil, gas & acid
- Fits top & side mount batteries
- 900 AMP CCA



### Battery Corrosion Preventative 77700-13383

NEW

12.25 oz.

#### **STOPS CORROSION**

- Formulated to make all surfaces impenetrable to corrosion-causing acid fumes
- Environmentally safe and resistant to reversion, moisture, shock and vibration

#### **EXTEND BATTERY LIFE**

- Stops battery corrosion for the life of your battery.
- Eliminates resistance for improved cranking power

#### **UNIVERSAL APPLICATION**

- Apply to any vehicle battery.
- Suitable for battery terminals, cables, hold-downs, enclosures, boxes and carriers





NOCC

BATTERY CORROS

EVENTATIVE

#### **Battery Cleaner & Acid Detector**

NEW

77700-13384 14 oz.

#### **REMOVES CORROSION**

- Instantly neutralizes, dissolves and removes battery corrosion
- Formulated to assure maximum current flow and reduce potential voltage leakage

#### **EXTEND BATTERY LIFE**

- Stops battery corrosion for the life of your battery when used in conjunction with NCP2 Battery Corrosion Preventative (77700-13383)
- Eliminates resistance for improved cranking power

#### **FAST-ACTING**

• Features a specialized foaming agent which turns pink upon contact with battery acid

#### Battery Treatment Kit 77700-13385

#### ALL-IN-ONE COMPLETE PROTECTION BATTERY TREATMENT KIT

Kit includes:

- Battery Corrosion Preventative
- Battery Cleaner
- Battery Terminal Brush
- Convenient kit for DIY or for service shop tickets for battery maintenance



### **TURF & LANDSCAPE ACCESSORIES**

#### **TOOL-N-GO Tractor Storage System**

77700-13407 3 Piece Kit = (1) 13" and (2) 20" 77700-13408 2 Piece Kit = (1) 12" and (1) 13" 77700-13409 1 Piece Kit = (1) 13"

- Store pins, bolts, wrenches, hand tools, chains, fencing supplies, chainsaw tools, ratchet straps and more
- Heavy duty polycarbonate construction
- Strong holding magnetic closure
- Rust and corrosion resistant for lasting durability

KUBOTA STANDARD L SERIES	77700-13409 1 PC. KIT	77700-13408 2 PC. KIT	77700-13407 3 PC. KIT
Loader LA 525		<b>~</b>	
Loader LA 526			
Loader LA 765			
Loader LA 766		<b>~</b>	
KUBOTA GRAND L60 SERIES			
Loader LA 555			
Loader LA 805			
Loader LA 1055			
KUBOTA MX SERIES			
Loader LA 1065			





Scan the QR code to view a demo video!



Smart storage solution for your front end loader



#### **Power Equipment Covers**

#### 77700-12844

Ideal for String Trimmers, Edgers, Pole Saws, Brush/Hedge Trimmers

- Protect your power equipment engine from the outdoor elements
- 100% Waterproof & dustproof
- Ideal for open trailer transportation or storage
- Resists mold and UV rays
- No stretch, 100% polyester
- Covers up to 10-1/2" diameter x 11-1/2" length

#### Universal Light Kit 77700-09075

- Five high-intensity LED's in each light
- 1,000 lumens per light
- Single harness
- Housing is IP67 rating
- Fits all Tractors, Zero-Turn Mowers, F-Series Mowers, and TLB Models
- Includes: 2 Lights, 2 Angle Brackets, 4 Large U Clamps, 2 Nuts/Bolts, 1 Switch & 1 Harness





#### SZ Series Cup Holder Kit 77700-12080

- Heavy duty metal construction for lasting durability
- Powder coat finish resists corrosion
- Molded cup holders keep bottles, cups and cans secure

## 41" 8 Drawer Top Chest Tool Cabinet

#### 41" Tool Box 11 Drawer Cabinet

Kubota.

#### 77700-13372

#### 41" Tool Box 11 Drawer Chest & Cabinet

#### 77700-13373

- Heavy duty 14 gauge steel frame and 18 gauge steel sides with four 6" x 2" mag wheel casters (two lockable swivels and two rigid)
- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

Item No.	Width	Depth	Height
77700-13371	41″	25"	21-3/8"
77700-13372	41-1/2"	25"	40-1/2"



#### **CUSTOMIZE YOUR TOOLBOX!**

#### 41" Tool Chest/Cabinet Combo with Magnetic Decal Set

• Comes complete with Top Chest, Roller Cabinet and Magnetic Decal Set!

Item No. Decal Design	
77700-13374	RTV
77700-13375	Tractor
77700-13376	SVL / Construction



#### 41" Cabinet Magnetic Decal Kits

- Heavy duty and strong holding flexible magnetic strips
- Superb image quality with UV protection
- Performs well in all weather, and in temperatures from -15° F to 160° F



77700-13368

77700-13369

77700-13370

### CARGO & TOOL STORAGE

#### **Deluxe RTV Cargo Box**

#### 77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



K7811-99560, must be ordered separately



#### 36" Professional 5 Drawer Extra Capacity Service Box

- 77700-06140
- Outer dimensions: 36"W x 25.5"D x 29"H
- 16/18 gauge steel construction with specially engineered frame and handles that make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners: 2 deep (30.84"W x 20"D x 4.5"H) and 3 standard size drawers (30.84"W x 20"D x 2.125"H)
- Casters (5" x 2" set of 4) sold separately (77700-02848)

#### **Heavy Duty Parts Bins**

- Organize parts, inventories, shorten repair times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from racks, panels, rails and carts
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Molded of high-impact polypropylene, these bins are unaffected by weak acids and alkalis
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty



Item No.	Description	L x W x H	Pieces	Color
77700-10785	Storage Bin	14.75" x 5.5" x 5"	12	Black
77700-10787	Storage Bin	14.75" x 8.25" x 7"	12	Black
77700-10788	Storage Bin	14.75" x 16.5" x 7"	6	Black
77700-10789	Bin Divider	5.5" x 5"	6	Black
77700-10790	Bin Divider	8.25" & 16.5" x 7"	6	Black



### TOOL BAGS

#### **Multi-Pocket Tool Bags**

- Large opening for easy access
- Double-layered construction for maximum performance, resists moisture and abrasion
- Easy-pull heavy duty zipper and reinforced stitching on handle for durability
- Rigid waterproof base



77700-12840

Item No.	Size	L x W x H	Pockets	Weight Bearing Cap.
77700-12840	Small	12" x 9" x 5.5"	12: 6 interior + 6 exterior	22 lbs.
77700-12956	Medium	16.5" x 10.2" x 11.8"	15: 8 interior. + 7 exterior	66 lbs.
77700-12955	Large	17.9" x 11" x 11.8"	15: 8 interior. + 7 exterior	85 lbs.

#### **Tool Bucket Organizer**

- 77700-12841
- 30 Assorted pockets: 8 interior & 22 exterior
- 3 Interior loops for hammers, prybars and more
- Fits most 5-gallon buckets, sold separately (77700-12850 below)
- Deep pockets to accommodate a wide range of tools
- Water-resistant, rugged, heavy gauge 600 denier polyester
- Tools not included



#### 5 Gallon Utility Bucket 77700-12850

- Premium 5 gallon round bucket offers a rugged and durable way to store products
- Wire bail handle with plastic grip
- HDPE

### BIGTOOLRACK®

#### **Ultimate Rack**

#### 77700-08997

- The BIGTOOLRACK<sup>®</sup> tractor attachment adds valuable cargo space
- Ideal mobile storage system...no more running back to the tool shed
- Haul your tools and supplies safely and securely to your worksite
- Easy and convenient 3 point hitch attachment, and trailer tow feature plus quick-hitch compatible
- Heavy duty wheels for easy rolling and storing
- Heavy duty steel construction with durable powder coat finish
- Maximum cargo capacity of 600 lbs.
- Active tailgate
- Will give your tractor ballast
- Rack Dimensions: L: 54" x W: 35.5" x H: 45.75"
- This beast hauls it all!
  - Landscaping
  - ✓ Fencing
  - ✓ Farm/Ranch
  - ✓ Firewood
  - ✓ Trash/Cleanup





#### Universal Tool Holder 77700-10740

- Secure your large handle hand tools with this rubber strap tool holder
- Includes one bracket, one rubber strap and all mounting hardware

#### 5N1 Tool Holder

- 77700-10738
- Perfect addition for the Ultimate Rack
- Comes standard with all mounting hardware, chainsaw tooth guard and 8 rubber grommets to protect your long handle tools
- Very durable textured black powder-coat finish

#### Four Hole Tool Holder 77700-10741

- Easily slide four long-handled tools in this holder
- The BIGTOOLRACK has predetermined holes in the rack to allow you to add multiple holders



Includes holder and all mounting hardware



Scan the QR code to view a demo video!

### Grass Trimmer Kit Classic

77700-10739

(C) Kubata

- Secure your grass trimmer, pole saw or any other long handle tool with this system
- Includes two holders, four rubber straps and all mounting hardware
- **Tool Storage**

### BIGTOOLRACK®

#### **RopsRackPack**<sup>®</sup>

- Attaches quickly and easily to your tractor or zero-turn mower no drilling, no hardware
- Safely and securely transport landscape tools, power equipment, supplies and more to your worksite
- Made from heavy duty, ballistic nylon with an industrial strength hook/loop closure
- Attaches to your existing rollbar

Kubota

Kubota

 Includes: 1 - Anchor Sleeve, 2 - Side Sleeves, 2 - Straps, 2 - 24" Twist Ties

Item No.	Description		
77700-10695	Fits all Kubota Tractors, ZD Series Mowers, Z100 Series Mowers		
77700-10696	Fits all Kubota Z400 Series and Z700 Series Zero Turn Mowers		



- Made from heavy duty, ballistic nylon
- Easily and quickly attaches to your Kubota RTV or Kubota stand-on mower
- Includes strap kit to attach to your RopsRackPack<sup>®</sup> and buckles for attaching to your Ultimate Rack

BIGTOOLRACH

• Gear Bag is 18" long x 4" wide x 11" tall



#### **18 oz. Quick Fill Portable Fuel Bottle** 77700-10697

- Convenient 18 oz. bottle for quick refill of gas powered lawn tools & equipment
- Spill-proof—no caps to unscrew
- Self-venting / auto shut-off



#### 10" S-Biner® Dual Carabiner 77700-10783

• Allows you to hang your trimmer, leaf blower and other large items



#### **Portable Sprayers**

- Handle action piston pump
- Large mouth for easy filling
- Single conical spray tip
- Pressure relief valve
- 8L (77700-03398) features a 23" trigger lance with an ergonomic handle and easy-to-use spot spray wand



77700-03398

Item No.	Capacity	Max. PSI
77700-03397	0.53 Gallons	10
77700-03398	2.1 Gallons	43

#### **5 Gallon Rechargeable Spot Sprayer** 77700-12143

- Rechargeable Lithium ION 12V battery
- Sprays 30 gallons on one charge
- 1.0 GPM demand pump
- Lever handgun
- Telescoping handle
- 5' Hose with spray gun
- AC charger with built-in storage compartment
- Large 8" wheels
- Molded fill level lines in gallons and liters



#### Backpack Sprayer 77700-03399

- 4.25 gallons (16 liters)
- Develops 15-90 PSI
- Quick fitting harness and padded straps
- 4 spray tips
- Wide-mouth lid
- Lever action piston pump
- Available spare parts kit
- Quality seals and built-in screens
- Lance clip and carry handle
- Ideal for insecticides, fertilizers, herbicides and disinfectants



#### **15 Gallon Spot Sprayer**

#### 77700-03500

- 15 gallons (57 liters)
- 12 volt pump spot sprayer
- Polyethylene tank with mold-in drain with cap
- Trigger gun with adjustable nozzle
- 15 feet of 3/8" hose
- 5" screw-on lid with tether
- Adjusts from fine mist to solid stream
- Ideal for insecticides, fertilizers, herbicides and disinfectants
- Applications include ranch/farm, weed and insect control, livestock and trees/shrubs





#### **25 Gallon Sprayer**

#### 77700-08963

- 3 nozzle boomless spray pattern allows for 140" (11.6') of coverage
- Chemically-resistant polyethylene tank

Kupota.

- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Multi-purpose sprayer fits most RTV's, ATV's & UTV's



### 25 Gallon Boomless Tow Behind Sprayer

- 77700-12144
  - Boomless system allows 100" of spray coverage
  - Boomless nozzles can be independently shut on & off for directional spray of fence rows & ditches
- 60 PSI gauge
- 2.2 GPM demand pump
  - Polyethylene tank with mould-in drain with cap
  - 25' Hose with spray gun
- Deluxe pistol grip handgun sprays up to 25' vertical and 35' horizontal
- Molded wand clips
- Large 5" fill lid with tether
- 8' Wiring harness with battery clips

#### **40 Gallon Trailer Sprayer**

#### 77700-08962

- Heavy duty frame
- 5 nozzle boom coverage up to 100"
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Heavy duty wand clips
- Adjustable pressure relief with gauge
- 3 piece folding adjustable boom
- Wide tires





#### 40 Gallon RTV Sprayer with Hitch Mount Boom

#### 77700-08964

- Unique 2" receiver mount boom provides 300° of adjustability
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge

#### **Sprayer Boom**

#### 77700-09601

- Sprayer boom for Kubota 40 gallon sprayer
- Compatible with many other sprayers!

#### 60 Gallon 7 Nozzle 3-Point Hitch Sprayer 77700-12146

#### • 60 PSI gauge

- 5.0 GPM demand pump
  - 140" 7 nozzle spray boom coverage
  - Polyethylene tank with mold-in drain with cap
- 25' hose with spray gun
- Deluxe pistol grip handgun sprays up to 25' vertical and 35' horizontal
- Molded wand clips
- Large 5" fill lid with tether
- 8' wiring harness with battery clips



#### **60 Gallon RTV Spot Sprayer**

77700-12145

- 60 PSI gauge
- 5.0 GPM demand pump
- RTV clamps
- Polyethylene tank with mould-in drain with cap
- 25' hose with spray gun
- Deluxe pistol grip handgun sprays up to 25' vertical and 35' horizontal
- Large 5" fill lid with tether
- 8' wiring harness with battery clips
- Add a Boom The 77700-09601 and the 77700-12147 can be used with this spot sprayer!





#### 24' Boomless Hitch Mount with 2 Nozzles

77700-12147

- 24′ Wide spray pattern
  - Works with the 77700-12145 60 Gallon RTV Spot Sprayer (above), 77700-08965 60 Gallon 3-Point Sprayer (below), and the 77700-12146 60 Gallon 3PT Sprayer (bottom left page 70)
  - Hitch mount for 2" receiver
  - Features 300° adjustability
- Requires 5.0 GPM pump
- Front or rear mount
- Shut-Off valves to spray right or left side independently
- Corrosion resistant frame

#### 60 Gallon 3-Point Sprayer

#### 77700-08965

- 6 roller pumps with torque arm and quick coupler
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve and quick caps
- Heavy duty frame with skid plates
- Chemically-resistant polyethylene tank
- 100 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Forward mounted on/off valve with protected gauge and plumbing



### PORTABLE GRAIN & HAY MOISTURE TESTERS

#### Why Test Hay & Grain Moisture?

According to agricultural nutrition experts, the single most important factor influencing the quality of grain, hay and silage is moisture. Moisture management is a continuous process that requires the appropriate measuring tools. Protect your investment by testing moisture content before, during and after the season accurately and quickly using **Kubota Moisture Testers.** 

#### HST-1 Advanced Hay, Straw and Silage Moisture Tester 77700-10675

- Automatically compensates for the bale density giving more accurate testing results
- Scales for hay/haylage, straw, hay silage, corn silage and alfalfa
- Heavy duty 20" (50.0 cm) stainless steel probe
- Automatic density compensation for more accurate results
- "Industry First" hay tester with temperature compensation
- USB port for scale and software updates, including exporting tests to your computer
- Hay and Haylage: 8% 80%

• Corn Silage: 40% - 76%

- Straw: 8% 25%
  Alfalfa: 8% 75%
- **Hay Core Sampler**

#### 77700-10676

- Professional hay core sampling equipment for farmers, sellers, and producers
- Zip-lock bag attaches to the protective metal shield allowing collection of up to 20 samples with no mess or contamination
  - The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
    - Includes cleanout rod for pushing hay into provided zip-lock sample bag

• Hav Silage: 30% - 84%

- Shaft and connections are made of stainless steel
- Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill

#### **Windrow Hay Moisture Tester**

#### 77700-10677

- Only portable hay moisture tester available for use in the field before baling
- Quickly measures loose hay and forage from a windrow without committing the time and
- expense of using baling or chopping equipment before the hay is at the correct moisture levels
- Simple to use add loose hay to a five-gallon bucket, insert tester probe and press a button
- Moisture range: 13% 70% depending on hay tested
- Testing time: 30 60 seconds
- Accuracy: +- 2% 4%
- Display resolution: 0.1% moisture
- 9V battery required

## MOISTURE TESTERS

#### Ag-MAC<sup>™</sup> Plus Grain Moisture Tester with Test Weight

77700-10679

• Direct readout for 20 different grain scales

Kubota

- Displays grain test weight (no pre-weighing)
- Measures moisture fast, easy, and accurately
- Non-compaction design with LCD display
- USB compatibility for updates of grain scales and firmware
- Automatic temperature compensation
- Hot corn up to 160° F (71° C)



## Soil Compaction Tester

- Increases crop yield by measuring the extent and depth of soil compaction
- 24" stainless steel rod with adjustable shock collar to prevent damage
- Easy-to-read, color-coded, stainless steel dial that is liquid filled to reduce shock
- Durable molded housing with rubber grips
- Large and small tip included with convenient storage in tester housing
- Easy to store on wall or above workbench

#### **MT-PRO Grain Moisture Tester**

#### 77700-06330

- Direct readout for 40 different grain scales
- Tests high moisture grain up to 40 percent
- Single-point or precision multi-point calibration to match local elevator
- Built-in average button displays the average of saved test results
- Higher-frequency, capacitive circuit for greater accuracy
- Includes protective carrying case with shoulder strap



### DHT-1 Hay Moisture Tester with 18" Probe

- 77700-06328
  - Direct readout for moisture % and temperature (°F and °C)
- Extra-rugged probe shaft made from aircraft aluminum
- Accurate throughout the normal range of stored, baled hay
- Moisture range: 14% 44% depending on hay tested
- 9V battery required

#### HT-PRO Hay Moisture Tester with 20" Probe 77700-06327

- Includes calibration clip—less than 20 seconds to calibrate
- Above and below moisture limit indication
- Illuminated LCD display
- Moisture range: 8% 44% depending on hay tested
- 9V battery required
- The first and only portable hay moisture tester with a calibration clip





### **MOISTURE TESTERS**

#### BHT-2 Advanced Baler-Mounted Hay Moisture Tester 77700-13399

- Bale type: small square bales and round bales
- New multi-sensor technology takes readings on the left and right side, as well as through the bale, for greater accuracy
- Large LCD display for easy viewing during day or night
- Illuminated keypad and display
- ± Moisture offset adjustments
- User can set the high and low limit of the moisture reading. Buzzer will sound if high or low limit is exceeded.
- Software upgradable via standard USB cable (included)

## 

#### 49" Bale Spear Kit





Build a new hay mover or replace old spear with this kit

77700-13398

- Rated for 3,500 lbs.
- Kit includes: 1 Hay Spear, 1 Tapered Nut, 1 Tapered Bushing



# KEEP IT GENUINE. KEEP IT KUBOTA!

**ARE YOU MARKETING FOR KUBOTA GENUINE PARTS?** 

KUBOTA



Reliability ) for the Job Ahead

- WID