

## SAFETY DATA SHEET

Product Name:	PPE
Kubota Hydraulic Fluid 46HD, 5 Gallon Pail	
Revision Date: 05-Jun-2015	Revision Number: 1
1. IDENTIFICATION OF THE SUBSTANCE/PREP COMPANY/UNDERTAKING	ARATION AND OF THE
1.1 Product Identifier	
Product Name:	Kubota Hydraulic Fluid 46HD, 5 Gallon Pail
Other means of identification	
Product Code:	3239-031
Synonyms	Not available
1.2 Recommended use of the chemical and restrictions on us	<u>se</u>
Recommended Use	Lubricant
Uses advised against	No information available
1.3. Details of the supplier of the safety data sheet	
Manufactured by	Idemitsu Lubricants America Corporation 701 Port Rd. Jeffersonville, IN. 47130 Telephone: 812-285-8234 Fax: 812-285-8243 Contact Name: Robin Hutchens Email: sds@ilacorp.com
24 Hour Emergency Phone Number:	Within USA and Canada: 1-800-424-9300 Outside USA and Canada: + 1 703-741-5970 (collect calls accepted)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Category 2 Testes
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

#### 2.2. Label elements



Signal word	Warning
Hazard statements	H361 - Suspected of damaging fertility or the unborn child if swallowed
Precautionary Statements - Prevention:	P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear suitable protective clothing, gloves, eye and face protection
Precautionary Statements - Response:	P308 + P313 -IF exposed or concerned: Get medical advice or attention
Precautionary Statements - Storage:	P405 - Store locked up
Precautionary Statements - Disposal:	P501 - Dispose of contents to an approved waste disposal plant
Hazards not otherwise classified (HNOC)	Not applicable
2.3 Other information	
Other hazards	<ul> <li>May be harmful in contact with skin</li> <li>Harmful to aquatic life with long lasting effects</li> <li>Harmful to aquatic life</li> </ul>

#### Unknown acute toxicity

3.728475% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

#### 3.2 Mixtures

#### **Hazardous Components**

Chemical Name	CAS-No	Weight %	Notes
Tricresylphosphate	1330-78-5	<1	

#### Components that do not contribute to this product's hazards

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	>95

#### 4. FIRST AID MEASURES

#### 4.1 First Aid Measures

General Advice	If symptoms persist, call a physician. Get medical advice/attention if you feel unwell. Take a copy of the Safety Data Sheet when going for medical treatment.		
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately.		
Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center immediately.		
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.		
4.2 Most important symptoms and	l effects, both acute and delayed		
Symptoms	No information available.		
4.3 Indication of any immediate m	edical attention and special treatment needed		
Notes to Physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASUR	RES		
Flammable Properties	NFPA: Class IIIB Combustible Liquid		
5.1 Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment		
Unsuitable Extinguishing Medi	a Do not use a solid water stream as it may scatter and spread fire.		

5.2 Specific Hazards Arising from the Chemical	Keep product and empty container away from heat and sources of ignition.
Hazardous combustion products:	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Nitrogen oxides (NOx), Oxides of Phosphorus, Sulphur oxides.
5.3 Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.
6.2 Environmental Precautions	
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.
6.3 Methods and material for conta	inment and cleaning up
Methods for Clean-up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Spill Management	
LARGE SPILLS	Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify the National Response Center.
WATER SPILLS	Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

HandlingWear personal protective equipment. Do not breathe vapors or<br/>spray mist. Remove and wash contaminated clothing before<br/>re-use. Keep away from open flames, hot surfaces and sources<br/>of ignition. Take necessary action to avoid static electricity<br/>discharge (which might cause ignition of organic vapors).Safe Handling AdviceHandle in accordance with good industrial hygiene and safety<br/>practices.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

**Incompatible Materials and/or Coatings** 

Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place.

No information available

#### . EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> ST 10 mg/m <sup>3</sup>			

#### 8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal Protective Equipment

Eye/face protection	Tightly fitting safety goggles. Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.
Skin protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate to prevent skin contact. <b>Glove Type:</b> Neoprene, Nitriles
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly. Remove and wash contaminated clothing before re-use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance
Physical State
Odor
Odor Threshold

Clear Liquid Characteristic No information available

рН
Melting point / melting range
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability Limit in Air
Explosion Limits
Vapor Pressure
Vapor Density (Air)
Density
Solubility
Partition Coefficient (n-octanol/water)
Autoignition Temperature
Decomposing Temperature
Viscosity

Not applicable Not applicable No information available > 200 °C / 392 °F COC ASTM D92 No information available No information available No information available No information available 0.85 g/cm<sup>3</sup> @  $15^{\circ}$ C No information available @ 40C = 46.61 cSt; @ 100C = 8.27 cSt

None under normal processing.

Heat, flames and sparks.

Strong oxidizing agents.

#### Other Information

# 10. STABILITY AND REACTIVITY 10.1 Reactivity Reactivity The product is chemically stable 10.2 Chemical stability Chemical Stability Stable under normal conditions.

10.3 Possibility of Hazardous ReactionsPossibility of Hazardous Reactions10.4 Conditions to AvoidConditions to Avoid

10.5 Incompatible Materials

Incompatible Materials

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause slight irritation.
Skin Contact	May be harmful in contact with skin.
Ingestion	May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tricresylphosphate 1330-78-5	3000 mg/kg (Rat)	1701 mg/kg (Rabbit)	

Symptoms	No information available
	as well as chronic effects from short and long-term exposure
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	Not classified.
Mutagenic effects	Not classified.
1.4 Carcinogenicity	
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.
	ACGIH (American Conference of Governmental Industrial Hygienists) IARC: (International OSHA (Occupational Safety and Health Administration of the US Department of Labor)
Reproductive Effects	Suspected of damaging fertility or the unborn child if swallowed.
Developmental Effects	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified
Chronic Toxicity	Avoid repeated exposure.
Aspiration hazard	Not classified.
1.5 Acute Toxicity	
Unknown acute toxicity	3.728475% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document .
Product Information (Estimated	<u>):</u>
ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist)	> 5,000 mg/kg > 2,000 mg/kg > 5 mg/l
12. ECOLOGICAL INFORMA	TION
2.1 Ecotoxicity Ecotoxicity effects	Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.
Jnknown aquatic toxicity	3.77658% of the mixture consists of components(s) of unknown hazards to the aquatic environment

12.2 Persistence and degradability	No information available.
12.3 Bioaccumulation/Accumulation	No information available
12.4. Mobility in soil	No information available
PBT and vPvB assessment	No information available
12.5 Other adverse effects:	No information available

#### 13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.		
Contaminated packaging	Dispose of in accordance with local regulations.		
14. TRANSPORT INFORMATION			
DOT	Not regulated		
ΙΑΤΑ	Not regulated		
IMDG/IMO	Not regulated		

#### 15. REGULATORY INFORMATION

#### International Inventories

TSCA	All ingredients are on the inventory or exempt from listing			
DSL	Not all ingredients are listed on the DSL Inventory List			
NDSL	There are ingredients listed on the NDSL Inventory List			
Chemical Name	NDSL	CAS-No	Weight %	
Diisotridecyl adipate	X 26401-35-4 <0.1			
EINECS	Does not comply			
ELINCS	Not Listed			
ENCS	All ingredients are on the inventory or exempt from listing			
CHINA	All ingredients are on the inventory or exempt from listing			
KECL	Does not comply			
PICCS	Does not comply			
AICS	All ingredients are on the inventory or exempt from listing			

NZIoC	Does not comply	
Mexico	Does not comply	

USA

Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	1000 lb final RQ	
			454 kg final RQ	
Ethyl acrylate	140-88-5	<0.001	1000 lb final RQ	
			454 kg final RQ	
Phosphoric acid	7664-38-2	<0.0001	5000 lb final RQ	
			2270 kg final RQ	
Methyl alcohol	67-56-1	<0.00001	5000 lb final RQ	
			2270 kg final RQ	
Naphthalene	91-20-3	<0.00001	100 lb final RQ	
			45.4 kg final RQ	
Ethylene oxide	75-21-8	NF	10 lb final RQ	1000 lb TPQ
			4.54 kg final RQ	
Propylene oxide	75-56-9	NF	100 lb final RQ	10000 lb TPQ
			45.4 kg final RQ	
1,4-Dioxane	123-91-1	NF	100 lb final RQ	
			45.4 kg final RQ	

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Methyl methacrylate	80-62-6	<0.1	Х
Ethyl acrylate	140-88-5	<0.001	Х
Methyl alcohol	67-56-1	<0.00001	Х
Naphthalene	91-20-3	<0.00001	X
Ethylene oxide	75-21-8	NF	Х
			10 Weighting factor
Propylene oxide	75-56-9	NF	X
1,4-Dioxane	123-91-1	NF	X

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
Methyl methacrylate	80-62-6	<0.1	Х

Phosphoric acid	7664-38-2	<0.0001	Х
Naphthalene	91-20-3	<0.00001	Х
Propylene oxide	75-56-9	NF	Х

#### State Regulations

#### **California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Chemical Name	CAS-No	Weight %	California Prop. 65	Maximum Allowable Dose for Reproductive Toxicity (MADLS)	Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Ethyl acrylate	140-88-5	<0.001	Carcinogen		
trimethyl phosphate	512-56-1	<0.001	Carcinogen		24 µg/day
Methyl alcohol	67-56-1	<0.00001	Developmental	47000µg/dayinhalati on 23000µg/dayoral	
Naphthalene	91-20-3	<0.00001	Carcinogen		5.8 µg/day
Ethylene oxide	75-21-8	NF	Carcinogen Developmental Female Reproductive Male Reproductive	20µg/day	2 µg/day
Propylene oxide	75-56-9	NF	Carcinogen		
1,4-Dioxane	123-91-1	NF	Carcinogen		30 µg/day

#### State Right-to-Know

Chemical Name	CAS-No	New Jersey
Petroleum distillates, hydrotreated heavy	64742-54-7	Х
paraffinic		

#### New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)


#### Canada

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
2,6-di-tert-butyl p-cresol	128-37-0	<1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Ethylene oxide-Nonylphenol polymer	9016-45-9	<0.01	Listed
Ethyl acrylate	140-88-5	<0.001	Listed
Diphenylamine	122-39-4	<0.001	Listed
Methyl alcohol	67-56-1	<0.00001	Listed
Naphthalene	91-20-3	<0.00001	Listed
1,4-Dioxane	123-91-1	NF	Listed
Ethylene oxide	75-21-8	NF	Listed
Propylene oxide	75-56-9	NF	Listed

Legend

NPRI - National Pollutant Release Inventory



#### Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**